




Accessories


Drip Shield Kits Vent Plates, Air Filter Kits

DRIP SHIELD SERIES

- Designed for use on our standard R and HD enclosure series (EEMAC/NEMA 12-3R)
- Each kit includes drip shield, silicone stainless steel 10/32 screws and plated nuts
- ANSI/ASA61 grey polyester - epoxy applied over phosphatized surfaces
- Can be factory installed (specify "F" after catalog number; Ex. ADSRF12, ADSDHDF42)




"ADSR" SERIES



"ADSHD" SERIES

TECHNICAL READOUT SINGLE DOOR "R" SERIES


CATALOG NO.	WIDTH BOX
ADSR12	12
ADSR16	16
ADSR20	20
ADSR24	24
ADSR30	30
ADSR36	36




"ADSR" SERIES
ASSEMBLY

TECHNICAL READOUT DOUBLE DOOR ENCLOSURES 'HD' AND 'HDM' SERIES

CATALOG NO.	WIDTH BOX
ADSHD42	42
ADSHD48	48
ADSHD60	60
ADSHD72	72



"ADSHD" SERIES
ASSEMBLY



TECHNICAL READOUT

Catalog No.	A x B	No. of Louvers	Lght. of Louvers	Opening Area Sq. in.	Cat. No. Air Filter Kit
AVP4	4.875 x 4.875	4	3.5	1.6	AFLK4
AVP8	5.5 x 10.5	8	3.5	3.2	AFLK8
AVP12	5.5 x 15.5	12	3.5	4.8	AFLK12

VENTILATING PLATES, AIR FILTER KITS

- Made from 14 gauge steel
- Supplied with all necessary nuts and bolts
- Designed to provide ventilation to panel mounted instruments and controls
- Special sizes available on request
- Air filter can be supplied in form of a kit, consisting of a perforated steel frame, and a fiber filtering media. Factory installed on request only (specify "F" instead of "K"; Ex. AFLF4)
- AINSI / ASA61 grey polyester - epoxy textured coating over a phosphatized base.

HOW TO ORDER

- Ventilating plates and air filter assembly must be ordered separately.





Accessories

Grounding Kits

GK



GRBG




BGR200



TGR200



BGR400



TGR400



BGR600



TGR600



TECHNICAL READOUT

Catalog No.	Application	No. of Circuits and Wire Sizes
TGR200	Splitter trough	7 x (2-14 Cu-Al)
TGR400	Splitter trough	7 x (2-14 Cu-Al) & 1 x (1/0-14 Cu-Al)
TGR600	Splitter trough	7 x (2-14 Cu-Al) & 1 x (300KCM - 6 Cu-AL)
BGR200	Splitter box	4 x (2-14 Cu-Al)
BGR400	Splitter box	4 x (2-14 Cu-Al) & 1 x (1/0-14 Cu-Al)
BGR600	Splitter box	4 x (2-14 Cu-Al) & (300KCM - 6 Cu-Al)
GRBG	Bus gutters	Connectors to be ordered seperatly; room for 5 lugs (threaded holes 1/4-20 into 1/4 x 1" aluminum busbar
GK	Junction / Pull box	3 x (4-14 Cu-Al)

Grounding Kits

- Grounding kits are supplied with all necessary mounting hardware
- All connectors are CU-AL approved
- Can be factory installed (specify "F" after cat. No.; Ex. TGR200F)





Accessories

Polyester Insulators

1100-A1



3213-S6



5350-A6



6375-S10



Fiberglass Reinforced Polyester Insulators

- Red color
- Aluminum insert
- Specific voltage rating available on request

TECHNICAL READOUT

Catalog No.	Height Inches	Diam. Inches	Rated Voltage	Thread Size	Tensile Strenght	Cantilever Strenght	Compression Strenght	Weight lbs.
1100-A1	1.000	1.125	600	1/4-20 x 1/4 deep	600	300	6000	0.055
3213-S6	2.125	2.500	2500	1/2-13 x 5/8 deep	3000	3500	50000	0.620
5350-A6	3.500	2.500	5000	1/2-13 x 5/8 deep	5700	3200	27000	0.720
6375-S10	6.000	2.750	15000	3/8-16 x 3/4 deep	3000	3200	30000	2.040

