

CorePro LEDtube InstantFit T8

12T8/PRO/48-840/IF18/G 10/1 FB

The CorePro LED Type A - Ballast Driven InstantFit TLED is a great LED solution suitable for replacing T8 fluorescent lamps, using the existing ballast. The InstantFit (Type A) lamps can also be used with Philips TLED drivers for Type C applications.

Product data

General Information	
Base	G13 [Medium Bi-Pin Fluorescent]
Main Application	Indoor
Nominal Lifetime (Nom)	50000 h
Switching Cycle	50000X
BSOL70	50000 h

Light Technical	
Color Code	841 [CCT of 4100K (841)]
Initial lumen (Nom)	1800 lm
Luminous Flux (Rated) (Nom)	1800 lm
Correlated Color Temperature (Nom)	4000 K
Color Consistency	<6
Color Rendering Index (Nom)	82
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	25000-105000 Hz
Power (Rated) (Nom)	12 W
Lamp Current (Max)	260 mA
Lamp Current (Min)	100 mA

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120-277, 347 V

Temperature	
T-Ambient (Max)	45 °C
T-Ambient (Min)	-20 °C
T-Storage (Max)	65 °C
T-Storage (Min)	-40 °C
T-Case Maximum (Nom)	50 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Product Length	1200 mm


Approval and Application	
Energy Saving Product	Yes

CorePro LEDtube InstantFit T8

Approbation Marks	UL certificate RoHS compliance DLC compliance
DesignLights Consortium Qualified Product List	DesignLights Consortium Qualified Product List
Product Data	
Order product name	12T8/PRO/48-840/IF18/G 10/1 FB
EAN/UPC - Product	046677530488

Order code	530485
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001866204
Net Weight (Piece)	0.215 kg
Model Number	9290018662



Dimensional drawing



TLED 1200mm T8 120-277V 1700lm 4000K G13


Product	D1	D2	A1	A2	A3
12T8/PRO/48-840/IF18/G 10/1 FB	25.7 mm	26.3 mm	1198.1 mm	1205.2 mm	1212.3 mm

Photometric data



12W G13



12W G13 840 4000K



12W G13 830 3000K



CorePro LEDtube InstantFit T8

Lifetime




12W G13

12W G13



12W G13

12W G13



12W G13

CorePro LEDtube InstantFit T8

