

## Catalog No. 9T58K2812

Description: "1C,1kVA,240x480-120/240,100C,C&C,TB,IP"

UPC No 783173151181

 $\label{tome power} \mbox{Home} > \mbox{Transformers} > \mbox{Dry Type, Encapsulated Core \& Coil} > \mbox{Control Power}$ 

ABB's General purpose encapsulated open core, and coil transformer (also known as Type IP Control Power transformers) are ideally suited for industrial and light-duty loads, HVAC applications, signal and alarm systems, industrial control panels, lighting, and circuit isolation. The optional fuse block adapter kits enable input and output flexibility. Type IP Control Power transformers are an economical alternative to high inrush/machine tool transformers.

Descriptors	
Category	Control Power
GO Schedule	TQ

Specifications	
Phase	1
PriVoltage	240x480
SecVoltage	120/240
KVA	1.00 KVA
Coil Material	CU
TempRise	100.0 °C
ElecShield	N
SubType	Control Terminal Block
Frequency	60 Hz
FrameSize	12300
Net Weight	19
TempClass	180.0 °C
AmbTemp	40.0 °C
InsulSys	IS-12
EnergyEfficiency	None
KFactor	K1
Enclosure Type	None
Net Weight	19
Sound	Std
GSA Compliance	No

Classifications		
UL	Yes	
cUL	Yes	
CE	No	



Created on: 06/28/2021

electrification.us.abb.com

Dimensions	
Width	5.3 in
Depth	6.6 in
Height	4.6 in

electrification.us.abb.com Created on: 06/28/2021

 Publications

 Title
 Publication No.
 Publication Type

 Transformer Outline Drawing
 303B947AAP12300
 Drawings-Outline and Dimensional

**Additional Documentation:** Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.

electrification.us.abb.com Created on: 06/28/2021

Catalog No. 9T58K2812 Page No.