

Eaton C22S-D-G-X1-K20

Catalog number: C22S-D-G-X1-K20

Eaton, 22.5 mm RQM Compact Pushbutton, Etching: X1, Green Actuator, Black bezel, 2NO, IP67, IP69K, Non-illuminated, Flush mounting, NEMA 4X, 13,5,000,000 operations, Momentary, 22.5 mm, Flush Pushbutton, C22 Series



General specifications

Product Name	Catalog Number
Eaton C22 compact pushbutton	C22S-D-G-X1-K20
EAN	Product Length/Depth
4015081192977	1.17 in
Product Height	Product Width
2.15 in	1.17 in
Product Weight	Warranty
.1 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
DIN VDE 0600	IEC 60947 CSA Certified UL Listed EN 60947

defaultTaxonomyAttributeLabel	Resources
Contact configuration	Brochures
2 NO	C22 Pilot Devices
Product category	Catalogs
Flush pushbutton	Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions
Actuator color	Drawings
Green	C22-PVT45P 3D Inventor
Etching code	C22-PVT45P 3D Model Xchange
X1	C22-PVT45P AutoCAD 2D Footprint
Operating cycles	C22-PVT45P 2D PDF
5 million	C22-PVT45P 2D Drawing Xchange
Color	C22-PVT45P AutoCAD 2D Footprint (mm)
Green	Multimedia
Size	How to size and select a Power Supply
22.5 mm	Specifications and datasheets
Enclosure	Eaton Specification Sheet - C22S-D-G-X1-K20
IP67	
IP69K	
Mounting method	
Flush	
Bezel	
Black	
Series	
C22	
Type	
Pushbutton	
Operating mode	
Momentary	
Illumination	
Non-illuminated	
Actuator function	
Momentary	
Button color	
Green	
Actuator	
Flush button	

Degree of protection

NEMA 4X

NEMA 13



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)