

Eaton SL7-AP230-E

Catalog number: SL7-AP230-E

Acoustic Module, SL7, 70 mm, Continuous or pulsed tone, External actuation, 230/240 Vac, Black, 100 dB, 2800 Hz, Internal potentiometer, 2 assigned inputs, (1), UL type 4, 4X, 13 , IP66

General specifications



Product Name	Catalog Number
Eaton SL7 stacklight acoustic module	SL7-AP230-E
EAN	Product Length/Depth
4015081678310	3.5 in
Product Height	Product Width
3 in	3 in
Product Weight	Warranty
.25 lb	2 year
Compliances	Certifications
CE Marked	UL Listed UL 508 cULus Listed CSA Certified UL Listed file E29184 CSA Std. C22.2 No. 94-91 CSA Class No. NKCR7 CSA Std. C22.2 No. 14-10 IEC Rated
Catalog Notes	
0	

defaultTaxonomyAttributeLabel

Number of inputs

2 assigned

Decibel

100 dB

Color

Black

Quantity

1

Enclosure

UL type 4, 4X, 13

Accessories

Internal potentiometer

Series

SL7

Type

70 mm

Frequency rating

2800 Hz

Model

Continuous

Pulsed tone

Environmental rating

IP66

Voltage rating

230/240 V

Actuator

External actuation

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Specifications and datasheets

Eaton Specification Sheet - SL7-AP230-E



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)