

Eaton XTCE065D00E

Catalog number: XTCE065D00E

Eaton XT IEC contactor, 65A, 208 Vac, 60 Hz, ONO-0NC, 65A, Frame D, 55 mm, 60 Hz, 5, 10, 15/ 20, 25, 50, 60 hp (1/3PH @115, 200, 230/200, 230, 460, 575 V), Three-pole, Screw terminals, Full voltage non-reversing contactor



General specifications

Product Name

Eaton XT IEC contactor

UPC

782116486625

Product Height

5.945 in

Product Weight

2.4 lb

Compliances

RoHS Compliant CE Marked

Catalog Notes

Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

Catalog Number

XTCE065D00E

Product Length/Depth

2.244 in

Product Width

4.567 in

Warranty

1 year

Certifications

IEC 60947 UL Listed CSA Certified EN 60947

defaultTaxonomyAttributeLabel

Contact configuration

0 NO, 0 NC

HP rating - max

5, 10, 15/ 20, 25, 50, 60 hp (1/3PH
@115,200,230/200,230,460,575 V)

Operation

Non-reversing

Amperage Rating

65A

Number Of Poles

Three-pole

Coil

208 Vac, 60 Hz

Frame size

55 mm

Coil voltage

208 Vac, 60 Hz

Series

XT IEC

Type

Full voltage non-reversing contactor

Continuous ampere rating

65 A

Frequency rating

60 Hz

Terminals

Screw terminals

Resources

Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

Drawings

[XTCE_D AutoCAD 2D Footprint](#)

[XTCE_D 2D PDF](#)

[XTCE_D 3D Model Xchange](#)

[XTCE_D 3D Inventor](#)

[XTCE_D 2D Drawing Xchange](#)

Specifications and datasheets

[Eaton Specification Sheet - XTCE065D00E](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2022 Eaton
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)