

# Eaton XTOE175GGS

Catalog number: XTOE175GGS

Eaton C440 electronic overload relay, XT IEC Electronic Overload Relay, 35-175A overload range, 105 mm Frame size, NO-NC contact configuration, Ground fault w/ selectable class 10, 19 trip type



## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton C440 electronic overload relay	XTOE175GGS
<b>UPC</b>	<b>Product Length/Depth</b>
786685533353	10 in
<b>Product Height</b>	<b>Product Width</b>
6.5 in	8.5 in
<b>Product Weight</b>	<b>Compliances</b>
4.6 lb	RoHS Compliant ATEX Compliant CE Marked

## Certifications

CSA Certified UL Listed IEC 60947 EN 60947

## defaultTaxonomyAttributeLabel

### Frame size

105 mm

### Contact configuration

NO, NC

### Overload range

35-175A

### Type

Electronic overload relay

### Trip type

Ground fault with selectable class 10, 20

## Resources

### Brochures

[C440 Electronic Overload Relay](#)

### Catalogs

[Eaton's Volume 5—Motor Control and Protection](#)

### Drawings

[XTOE175G\\_S 3D Model Xchange](#)

[XTOE175G\\_S AutoCAD 2D Footprint \(mm\)](#)

[XTOE175G\\_S 3D Inventor](#)

[XTOE175G\\_S 2D PDF](#)

[XTOE175G\\_S 2D Drawing Xchange](#)

[XTOE175G\\_S AutoCAD 2D Footprint](#)

### Installation instructions

[XTOE/ZEB IEC Electronic Overload - Self Powered](#)

### Specifications and datasheets

[Eaton Specification Sheet - XTOE175GGS](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2022 Eaton  
All Rights Reserved

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)