

# BA | BELLA™

## HIGH-END BASEBOARD



## LA DOLCE VITA WITH BELLA

The high-end Bella baseboard is undoubtedly the most beautiful offered on the market. Its breathtaking design and sturdy aluminum-extruded facade make it the ideal choice for residential and commercial locations. The Bella is available in two densities: 150 W or 250 W per linear foot.

### CLEAN AND HIGH-END FINISH

**EXTREMELY SOLID,  
IMPACT AND RUST RESISTANT**  
MADE OF EXTRUDED ALUMINUM

**FIT FOR RESIDENTIAL AND  
COMMERCIAL ENVIRONMENTS**

**TOTALLY QUIET**

### COLOURS

- **standard:** white
- **Orora (optional):** refer to [www.stelpro.com/en-CA/Orora](http://www.stelpro.com/en-CA/Orora)

### FINISH

- epoxy-polyester powdercoat

### MANUFACTURING

- 22-gauge steel cabinet
- 11-gauge equivalent extruded aluminum with molded and curved end-caps
- discreet air inlet: air enters through the front of the unit and exits from the top
- thermal protection with automatic reset
- full-length wireway

### ELEMENT

- single tubular, stainless steel sheathed element with boxed aluminum fins for improved heat dissipation; the element is securely fastened at its centre, floating in nylon sleeves at each end, eliminating expansion and contraction noises

### CONTROL

- wall thermostat (not included) – the use of an electronic thermostat is strongly recommended
- built-in mechanical single pole or double pole thermostat, installed in the left or right junction box (optional)
- low voltage relay kit installed in the left or right junction box (optional)
- disconnect switch (optional)

### INSTALLATION

- surface mounted
- wiring compartment at both ends of unit

### WARRANTY

- five years, \*lifetime warranty on the heating element (for original owner)

### IDEAL FOR:

kitchen, living room, bedroom, basement,  
commercial space, office

# °STELPRO

Stelpro reserves the right to modify descriptions, manufacturing specifications or prices without prior notice. **No returns accepted on optional-colour products.**  
For all the latest models and prices, please refer to our website at [www.stelpro.com](http://www.stelpro.com).



# TECHNICAL SPECIFICATIONS

| DENSITY OF 250 W<br>PER LINEAR FOOT |           |        | DENSITY OF 150 W<br>PER LINEAR FOOT |           |        | VOLTAGE | TOTAL<br>LENGTH |          | WALL<br>LENGTH |          | WEIGHT |      |
|-------------------------------------|-----------|--------|-------------------------------------|-----------|--------|---------|-----------------|----------|----------------|----------|--------|------|
| CODE                                | WATTS     | PRICE  | CODE                                | WATTS     | PRICE  | VOLTS   | MM              | IN.      | MM             | IN.      | KG     | LB   |
| BA0301                              | 300       | 220.00 | ---                                 | ---       | ---    | 120     | 529             | 20 13/16 | 516            | 20 5/16  | 2.3    | 5.1  |
| BA0308                              | 300       | 181.00 | ---                                 | ---       | ---    | 208     | 529             | 20 13/16 | 516            | 20 5/16  | 2.3    | 5.1  |
| BA0302                              | 300/225   | 181.00 | ---                                 | ---       | ---    | 240/208 | 529             | 20 13/16 | 516            | 20 5/16  | 2.3    | 5.1  |
| ---                                 | 300       | ---    | ---                                 | ---       | ---    | 347     | 529             | 20 13/16 | 516            | 20 5/16  | 2.3    | 5.1  |
| ---                                 | 300       | ---    | ---                                 | ---       | ---    | 600     | 529             | 20 13/16 | 516            | 20 5/16  | 2.3    | 5.1  |
| BA0501                              | 500       | 230.00 | BAL0301                             | 300       | 230.00 | 120     | 732             | 28 13/16 | 719            | 28 5/16  | 3.0    | 6.5  |
| BA0508                              | 500       | 189.00 | BAL0308                             | 300       | 189.00 | 208     | 732             | 28 13/16 | 719            | 28 5/16  | 3.0    | 6.5  |
| BA0502                              | 500/375   | 189.00 | BAL0302                             | 300/225   | 189.00 | 240/208 | 732             | 28 13/16 | 719            | 28 5/16  | 3.0    | 6.5  |
| BA0503                              | 500       | 230.00 | ---                                 | 300       | ---    | 347     | 732             | 28 13/16 | 719            | 28 5/16  | 3.0    | 6.5  |
| ---                                 | 500       | ---    | ---                                 | 300       | ---    | 600     | 732             | 28 13/16 | 719            | 28 5/16  | 3.0    | 6.5  |
| BA0751                              | 750       | 260.00 | BAL0451                             | 450       | 260.00 | 120     | 978             | 38 1/2   | 965            | 38       | 3.6    | 8.0  |
| BA0758                              | 750       | 214.00 | BAL0458                             | 450       | 214.00 | 208     | 978             | 38 1/2   | 965            | 38       | 3.6    | 8.0  |
| BA0752                              | 750/560   | 214.00 | BAL0452                             | 450/340   | 214.00 | 240/208 | 978             | 38 1/2   | 965            | 38       | 3.6    | 8.0  |
| BA0753                              | 750       | 260.00 | BAL0453                             | 450       | 260.00 | 347     | 978             | 38 1/2   | 965            | 38       | 3.6    | 8.0  |
| BA0756                              | 750       | 260.00 | ---                                 | 450       | ---    | 600     | 978             | 38 1/2   | 965            | 38       | 3.6    | 8.0  |
| BA1001                              | 1000      | 272.00 | BAL0601                             | 600       | 271.00 | 120     | 1229            | 48 3/8   | 1216           | 47 7/8   | 4.4    | 9.7  |
| BA1008                              | 1000      | 224.00 | BAL0608                             | 600       | 223.00 | 208     | 1229            | 48 3/8   | 1216           | 47 7/8   | 4.4    | 9.7  |
| BA1002                              | 1000/750  | 224.00 | BAL0602                             | 600/450   | 223.00 | 240/208 | 1229            | 48 3/8   | 1216           | 47 7/8   | 4.4    | 9.7  |
| BA1003                              | 1000      | 271.00 | BAL0603                             | 600       | 271.00 | 347     | 1229            | 48 3/8   | 1216           | 47 7/8   | 4.4    | 9.7  |
| BA1006                              | 1000      | 271.00 | ---                                 | 600       | ---    | 600     | 1229            | 48 3/8   | 1216           | 47 7/8   | 4.4    | 9.7  |
| BA1251                              | 1250      | 329.00 | BAL0751                             | 750       | 329.00 | 120     | 1478            | 58 3/16  | 1465           | 57 11/16 | 5.2    | 11.4 |
| BA1258                              | 1250      | 264.00 | BAL0758                             | 750       | 264.00 | 208     | 1478            | 58 3/16  | 1465           | 57 11/16 | 5.2    | 11.4 |
| BA1252                              | 1250/940  | 264.00 | BAL0752                             | 750/560   | 264.00 | 240/208 | 1478            | 58 3/16  | 1465           | 57 11/16 | 5.2    | 11.4 |
| BA1253                              | 1250      | 329.00 | BAL0753                             | 750       | 329.00 | 347     | 1478            | 58 3/16  | 1465           | 57 11/16 | 5.2    | 11.4 |
| BA1256                              | 1250      | 329.00 | BAL0756                             | 750       | 329.00 | 600     | 1478            | 58 3/16  | 1465           | 57 11/16 | 5.2    | 11.4 |
| BA1501                              | 1500      | 345.00 | BAL0901                             | 900       | 347.00 | 120     | 1707            | 67 3/16  | 1694           | 66 11/16 | 6.0    | 13.2 |
| BA1508                              | 1500      | 282.00 | BAL0908                             | 900       | 281.00 | 208     | 1707            | 67 3/16  | 1694           | 66 11/16 | 6.0    | 13.2 |
| BA1502                              | 1500/1125 | 282.00 | BAL0902                             | 900/675   | 281.00 | 240/208 | 1707            | 67 3/16  | 1694           | 66 11/16 | 6.0    | 13.2 |
| BA1503                              | 1500      | 345.00 | BAL0903                             | 900       | 347.00 | 347     | 1707            | 67 3/16  | 1694           | 66 11/16 | 6.0    | 13.2 |
| BA1506                              | 1500      | 345.00 | BAL0906                             | 900       | 347.00 | 600     | 1707            | 67 3/16  | 1694           | 66 11/16 | 6.0    | 13.2 |
| ---                                 | 1750      | ---    | BAL1051                             | 1050      | 408.00 | 120     | 1953            | 76 7/8   | 1940           | 76 3/8   | 6.8    | 15.0 |
| BA1758                              | 1750      | 338.00 | BAL1058                             | 1050      | 337.00 | 208     | 1953            | 76 7/8   | 1940           | 76 3/8   | 6.8    | 15.0 |
| BA1752                              | 1750/1310 | 338.00 | BAL1052                             | 1050/790  | 337.00 | 240/208 | 1953            | 76 7/8   | 1940           | 76 3/8   | 6.8    | 15.0 |
| BA1753                              | 1750      | 408.00 | BAL1053                             | 1050      | 408.00 | 347     | 1953            | 76 7/8   | 1940           | 76 3/8   | 6.8    | 15.0 |
| BA1756                              | 1750      | 408.00 | BAL1056                             | 1050      | 408.00 | 600     | 1953            | 76 7/8   | 1940           | 76 3/8   | 6.8    | 15.0 |
| ---                                 | 2000      | ---    | BAL1201                             | 1200      | 444.00 | 120     | 2154            | 84 13/16 | 2141           | 84 5/16  | 7.7    | 16.9 |
| BA2008                              | 2000      | 369.00 | BAL1208                             | 1200      | 370.00 | 208     | 2154            | 84 13/16 | 2141           | 84 5/16  | 7.7    | 16.9 |
| BA2002                              | 2000/1500 | 369.00 | BAL1202                             | 1200/900  | 370.00 | 240/208 | 2154            | 84 13/16 | 2141           | 84 5/16  | 7.7    | 16.9 |
| BA2003                              | 2000      | 444.00 | BAL1203                             | 1200      | 444.00 | 347     | 2154            | 84 13/16 | 2141           | 84 5/16  | 7.7    | 16.9 |
| BA2006                              | 2000      | 444.00 | BAL1206                             | 1200      | 444.00 | 600     | 2154            | 84 13/16 | 2141           | 84 5/16  | 7.7    | 16.9 |
| ---                                 | 2250      | ---    | ---                                 | 1350      | ---    | 120     | 2405            | 94 11/16 | 2392           | 94 3/16  | 8.6    | 18.8 |
| BA2258                              | 2250      | 408.00 | BAL1358                             | 1350      | 409.00 | 208     | 2405            | 94 11/16 | 2392           | 94 3/16  | 8.6    | 18.8 |
| BA2252                              | 2250/1690 | 408.00 | BAL1352                             | 1350/1010 | 409.00 | 240/208 | 2405            | 94 11/16 | 2392           | 94 3/16  | 8.6    | 18.8 |
| BA2253                              | 2250      | 489.00 | BAL1353                             | 1350      | 489.00 | 347     | 2405            | 94 11/16 | 2392           | 94 3/16  | 8.6    | 18.8 |
| BA2256                              | 2250      | 489.00 | BAL1356                             | 1350      | 489.00 | 600     | 2405            | 94 11/16 | 2392           | 94 3/16  | 8.6    | 18.8 |
| ---                                 | 2500      | ---    | ---                                 | 1500      | ---    | 120     | 2629            | 103 1/2  | 2616           | 103      | 9.4    | 20.7 |
| BA2508                              | 2500      | 437.00 | BAL1508                             | 1500      | 437.00 | 208     | 2629            | 103 1/2  | 2616           | 103      | 9.4    | 20.7 |
| BA2502                              | 2500/1875 | 437.00 | BAL1502                             | 1500/1125 | 437.00 | 240/208 | 2629            | 103 1/2  | 2616           | 103      | 9.4    | 20.7 |
| BA2503                              | 2500      | 521.00 | BAL1503                             | 1500      | 521.00 | 347     | 2629            | 103 1/2  | 2616           | 103      | 9.4    | 20.7 |
| BA2506                              | 2500      | 521.00 | BAL1506                             | 1500      | 521.00 | 600     | 2629            | 103 1/2  | 2616           | 103      | 9.4    | 20.7 |

Add W for white (consult the optional colours chart or contact your Stelpro representative for all other colours).

Models also available in 277 V and 480 V.

--- not available

## ACCESSORIES

| PRODUCT             | DESCRIPTION                                                                               | PRICE         |
|---------------------|-------------------------------------------------------------------------------------------|---------------|
| <b>BA1T1W*</b>      | built-in single pole thermostat [120 V-600 V]                                             | <b>37.00</b>  |
| <b>BA2T1W*</b>      | built-in double pole thermostat [120 V-600 V]                                             | <b>42.00</b>  |
| <b>BARE153*</b>     | built-in electronic low voltage relay [15 A @ 120 V-347 V]                                | <b>81.00</b>  |
| <b>BARE156*</b>     | built-in electronic low voltage relay [6 A @ 600 V]                                       | <b>132.00</b> |
| <b>BARE153T*</b>    | built-in electronic low voltage relay c/w transformer 24 V [15 A @ 208 V-347 V]           | <b>102.00</b> |
| <b>BARM240T*</b>    | built-in electromechanical relay c/w transformer 24 V [6000 W @ 240 V and 5200 W @ 208 V] | <b>112.00</b> |
| <b>BARM347T*</b>    | built-in electromechanical relay c/w transformer 24 V [6000 W @ 347 V]                    | <b>122.00</b> |
| <b>BARM347C*</b>    | built-in electromechanical relay w/o transformer 24 V [6000 W @ 120 V-347 V]              | <b>88.00</b>  |
| <b>BAR841D1036*</b> | built-in electromechanical low voltage relay w/o transformer 24 V [6000 W @ 600 V]        | <b>143.00</b> |
| <b>BADIS*</b>       | disconnect switch [up to 277 V max 15 A]                                                  | <b>120.00</b> |
| <b>BADIS6*</b>      | disconnect switch [600 V]                                                                 | <b>181.00</b> |

Electronic relays can receive a PWM (pulsed width modulation) or digital (on/off) signal.

\* Factory installed

\* Factory installation is strongly recommended.

## TECHNICAL DRAWINGS



