

# Eaton FWC-6A10F

Catalog Number: FWC-6A10F

Eaton Bussmann series FWC high speed cylindrical fuse, 500 Vac/dc (35-800A only), 6A, 200 kAIC Vac, 50 kAIC at 700 Vdc, Non Indicating, High speed fuse, Ferrule end X ferrule end

## General specifications



Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWC-6A10F
UPC	051712796415
EAN	Product Length/Depth
5027590499415	38 mm
Product Height	Product Width
11 mm	11 mm
Product Weight	Warranty
9 g	Not Applicable
Compliances	Certifications
CE Marked RoHS Compliant	UL Recognized CSA Certified

## Product specifications

Fuse indicator	Catalogs
Other	IEC high speed fuse links
Interrupt rating	Bussmann series complete full line catalog no. 1007
200 kAIC Vac	Compliance information
Construction size	UKCA FWC-*A10F, FWH-*A14F, FWP-*A14F, FWP-*A14FI etc
10 x 38 mm	CE FWC-*A10F, FWH-*A14F, FWP-*A14F, FWP-*A14FI etc
Clearing (I <sub>2</sub> T)	Specifications and datasheets
30	Eaton Specification Sheet - FWC-6A10F
Connection	Technical data sheets
Ferrule end x ferrule end	720011 FWC
Material	
Ceramic	
Release characteristic	
Other	
Amperage Rating	
6 A	
Frequency rating - max	
62 Hz	
Utilization category	
aR (accompanied semiconductor protection)	
Watt losses	
1.5 W	
Fuse type	
FWC-A10F	
Accessories	
BMM Fuse block	
CHM modular fuse holder	
Type	
High speed fuse	
Fuse shape	
Cylindrical	
Breaking capacity	
200 kA	
Fuse size	
10 x 38 mm	

## Resources

Frequency rating - min

45 Hz

Class

Class aR

Pre arc (I<sub>2T</sub>)

4

Voltage rating

600 V

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC

Packaging type

Standard



Eaton Corporation plc

Eaton House

30 Pembroke Road

Dublin 4, Ireland

Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia