Product specifications

Eaton PXM2260MA65105

Catalog Number: PXM2260MA65105

Power Xpert Meter 2000, 512 MB, with integral display, 60 Hz, 5A secondary, 90-265 Vac/dc, Gateway card

General specifications

Product Name
Eaton Power Xpert meter 2260

Catalog Number
PXM2260MA65105

UPC
786685349220

Product Length/Depth
4.85 in

Product Height
4.85 in

Product Width
3.96 in

Product Weight
2 lb

Warranty
1 year

Compliances
CE Marked

Certifications
cUL 22Cz IEC 60687 ANSI/IEEE Std C62.41 ANSI/IEEE Std C12.20

Product specifications

Waveform capture sampling rate

400/cycle

%Thd - current and voltage

To 40th

Logging

Email on alarm
Time / date stamp
Event Log
Data Logging

Modification 1

None

Modification 2

Gateway card

Memory

512 MB

Communications

10 / 100 RJ - 45 Ethernet Port
Modbus TCP
BACnet/IP
Modbus RTU (RS - 485)
Graphic Display (Local - Remote)

Instrumentation

Watt Demand
Va demand
Current & Voltage - Per Phase
Neutral Current
Wh --Positive & Negative
Power-Real, Reactive, Apparent
Demand Metering
Per Phase Power Factor
Watts
View current & voltage phasors on display

Type

Power quality meter (with integral display)

Impulse transient capture

None

Frequency rating

60 Hz

Current sensor input

Resources

Brochures

Power Xpert Meter 2000

Eaton Power Xpert Energy Viewer

Catalogs

Eaton's Volume 3—Power Distribution and Control Assemblies

Multimedia

Power Systems Experience Center Tour – Metering Focus

Power Xpert Meters

Specifications and datasheets

Eaton Specification Sheet - PXM2260MA65105

Metering products family

5A

I/O capability

Prog. Pulse Output --Wh, Varh, Vah

Sub Cycle- Sag/ Swell

Analog Input/Output

Voltage Disturbance Trigger

Digital Input/Output

ANSI % revenue accuracy

C12.20 (0.2)

Power supply voltage

90-265 Vac/dc

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia