

Eaton FWS-6A20FI

Catalog Number: FWS-6A20FI

Eaton Bussmann series high speed traction fuse, 6A, 50 kAIC, With Indicator, Fuse, Class gS

General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed traction fuse	FWS-6A20FI
UPC	051712640275
EAN	Product Length/Depth
5027590501293	127 mm
Product Height	Product Width
.001 mm	20 mm
Product Weight	Warranty
108.5 g	Not Applicable
Compliances	Certifications
CE Marked	IEC Rated



Product specifications

Rated voltage DC

1000 V

Interrupt rating

50 kAIC

50 kA at 1000 Vdc

Suitable for

CH127 Fuse holder

Release characteristic

Other

Amperage Rating

6 A

Frequency rating - max

62 Hz

Fuse type

FWS-A20F

With striker

Yes

Fuse size

20 x 127 mm

Voltage rating

2000 V

Fuse indicator

With Indicator

Construction size

Other

Clearing (I₂T)

81 at 750 Vdc

Rated voltage AC

2000 V

Utilization category

gL/gG (cable protection/equipment protection)

Watt losses

6.7 W

Type

Fuse

Resources

Catalogs

IEC high speed fuse links

Traction fuse-links

Bussmann series complete full line catalog no. 1007

Compliance information

UKCA FWS-*A20F and FWS-*A20FI

CE FWS-*A20F and FWS-*A20FI

Specifications and datasheets

Eaton Specification Sheet - FWS-6A20FI

Fuse shape
Cylindrical

Breaking capacity
50 kA

Frequency rating - min
45 Hz

Class
Class gG

Pre arc (I_{2T})
27

Application
traction

Voltage type
AC/DC

Packaging type
Standard



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)