

# Eaton FWC-3A10F

Catalog Number: FWC-3A10F

Eaton Bussmann series FWC high speed cylindrical fuse, 500 Vac/dc (35-800A only), 3A, Non Indicating, High speed fuse, Cylindrical

## General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWC-3A10F
	UPC
	051712246033
EAN	Product Length/Depth
5027590499392	44 mm
Product Height	Product Width
23 mm	54 mm
Product Weight	Warranty
8.8 g	Not Applicable
Compliances	
RoHS Compliant	



## Product specifications

### Interrupt rating

200 kAIC

### Release characteristic

Other

### Mounting method

Cylindrical

### Amperage Rating

3 A

### Frequency rating - max

62 Hz

### Fuse type

FWC-A10F

### Accessories

BMM Fuse block

CHM modular fuse holder

### Fuse size

10 x 38 mm

### Voltage rating

600 V

### Fuse indicator

Other

### Construction size

10 x 38 mm

### Clearing (I<sup>2</sup>T)

11

### Construction type

Ceramic tube

### Quantity

10

### Material

Ceramic

### Utilization category

aR (accompanied semiconductor protection)

### Watt losses

1.5 W

## Resources

### Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

### Compliance information

CE FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

UKCA FWC-\*A10F,FWH-\*A14F,FWP-\*A14F,FWP-\*A14FI etc

### Specifications and datasheets

Eaton Specification Sheet - FWC-3A10F

### Technical data sheets

720011 FWC

#### Type

High speed fuse

#### Fuse shape

Cylindrical

#### Breaking capacity

200 kA

#### Frequency rating - min

45 Hz

#### Class

Class aR

#### Pre arc (I<sub>2</sub>T)

1.6

#### Application

Semiconductor, DC Common bus, DC drives, Power  
converters/rectifiers

#### Voltage type

AC/DC

#### Packaging type

Standard



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are  
property of their respective  
owners.



[Eaton.com/socialmedia](https://Eaton.com/socialmedia)