

# Eaton FWC-4A10F

Catalog Number: FWC-4A10F

Eaton Bussmann series FWC high speed cylindrical fuse, 500V, 4A, Non Indicating, High speed fuse, Cylindrical

## General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed cylindrical fuse	FWC-4A10F
	UPC
	051712246071
EAN	Product Length/Depth
5027590499408	44 mm
Product Height	Product Width
23 mm	54 mm
Product Weight	Warranty
8.8 g	Not Applicable
Compliances	
RoHS Compliant	

## Product specifications

Interrupt rating	Catalogs
200 kAIC	IEC high speed fuse links
Release characteristic	Bussmann series complete full line catalog no. 1007
Other	Compliance information
Mounting method	UKCA FWC-*A10F, FWH-*A14F, FWP-*A14F, FWP-*A14FI etc
Cylindrical	CE FWC-*A10F, FWH-*A14F, FWP-*A14F, FWP-*A14FI etc
Amperage Rating	Specifications and datasheets
4 A	Eaton Specification Sheet - FWC-4A10F
Frequency rating - max	Technical data sheets
62 Hz	720011 FWC
Fuse type	
FWC-A10F	
Accessories	
BMM Fuse block	
CHM modular fuse holder	
Fuse size	
10 x 38 mm	
Voltage rating	
600 V	
Fuse indicator	
Other	
Construction size	
10 x 38 mm	
Clearing (I <sub>2</sub> T)	
32	
Construction type	
Ceramic tube	
Quantity	
10	
Material	
Ceramic	
Utilization category	
aR (accompanied semiconductor protection)	
Watt losses	
1.5 W	

## Resources

**Type**

High speed fuse

**Fuse shape**

Cylindrical

**Breaking capacity**

200 kA

**Frequency rating - min**

45 Hz

**Class**

Class aR

**Pre arc (I<sub>2T</sub>)**

5.2

**Application**

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

**Voltage type**

AC/DC

**Packaging type**

Standard



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia