

AB/SS - Support bracket

0404428

<https://www.phoenixcontact.com/pc/products/0404428>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Support bracket made from insulation material, with retaining screw, can be used with either 3 x 10 mm or 6 x 6 mm busbar, color: gray

Commercial data

Item number	0404428
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BE7113
Catalog page	Page 552 (C-3-2019)
GTIN	4017918001889
Weight per piece (including packing)	7.13 g
Weight per piece (excluding packing)	7.05 g
Customs tariff number	39269097
Country of origin	CN

AB/SS - Support bracket

0404428

<https://www.phoenixcontact.com/pc/products/0404428>

Technical data


Product properties

Product type	Support
Number of positions	1.00

Electrical properties

Nominal current I_N	0 A
-----------------------	-----

Dimensions

Dimensional drawing	
Width	19.4 mm
Height	23.4 mm
Depth	21.7 mm
Length	23.4 mm
Diameter	4.5 mm

Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0
Static insulating material application in cold	-40 °C
Temperature index of insulation material (DIN EN 60216-1 (VDE 0304-21))	125 °C
Components	free from silicone and halogen

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Mounting

AB/SS - Support bracket

0404428

<https://www.phoenixcontact.com/pc/products/0404428>



Mounting type

Direct mounting

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com