

Eaton 10250T474

Catalog Number: 10250T474

Eaton 10250T pushbutton, 30.5 mm, Heavy-Duty, NEMA 3, 3R, 4, 4X, 12, 13, Illuminated, Three-position, Momentary push and pull, maintained intermediate, Incandescent, full voltage light unit, 12 Vac/dc light unit



General specifications

Product Name	Catalog Number
Eaton 10250T pushbutton	10250T474
UPC	Product Length/Depth
782113226057	3.5 in
Product Height	Product Width
1.38 in	2.4 in
Product Weight	Warranty
0.2 lb	1 year
Compliances	Certifications
CE Marked	CSA Certified
	UL Listed

Catalog Notes

Contact blocks 10250T55 and 10250T57 cannot be used with this operator

defaultTaxonomyAttributeLabel

Application

Pushbutton

Special features

10250T series

Type

30.5 mm Heavy-Duty Watertight/Oiltight

Operating mode

Intermediate: maintained

Pull: momentary

Push: momentary

Illumination

Illuminated

Series

10250T

Light unit type

Incandescent, full voltage

Light unit voltage

12 Vac/dc

Number of positions

3

Rating

NEMA 3

NEMA 13

NEMA 4

NEMA 3R

NEMA 4X

NEMA 12

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - 10250T474



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)