

Eaton 10250T706G

Catalog Number: 10250T706G

Eaton, 30.5 mm, Heavy-Duty Watertight/Oiltight Hazardous Locations Pushbutton, Class I Division 2, Green, Plastic Actuator, Chrome bezel, 1NO - 1NC, Non-illuminated, Flush mounting, Momentary, 30.5 mm, Flush Pushbutton, 10250T Series

General specifications



Product Name
Eaton 10250T pushbutton

UPC
782114504390

Product Height
2.75 in

Product Weight
0.4 lb

Compliances
CE Marked

Catalog Number
10250T706G

Product Length/Depth
3.5 in

Product Width
2.5 in

Warranty
1 year

Certifications
CSA Certified
UL Listed

defaultTaxonomyAttributeLabel

Type

Pushbutton

Actuator color

Green

Bezel

Chrome

Actuator material

Plastic

Operating mode

Momentary

Contact configuration

1 NO-1 NC

Illumination

Non-illuminated

Series

10250T

Legend

Blank

Mounting method

Flush

Rating

NEMA 3

NEMA 4

NEMA 3R

NEMA 12

NEC Class I Division 2, Groups B, C and D

NEMA 4X

NEMA 13

Degree of protection

NEMA 3R

NEMA 3

NEMA 13

NEMA 4X

NEMA 4

NEMA 12

Product category

Flush pushbutton

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - 10250T706G

Size

30.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)