

Eaton C22S-D-R-X0-K01

Catalog Number: C22S-D-R-X0-K01

Eaton, 22.5 mm RQM Compact Pushbutton,Etching: X0,Red Actuator,Black bezel,1NC,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,C22 Series



General specifications

Product Name	Catalog Number
Eaton C22 compact pushbutton	C22S-D-R-X0-K01
EAN	Product Length/Depth
4015081193042	1.17 in
Product Height	Product Width
2.15 in	1.17 in
Product Weight	Warranty
0.1 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
DIN VDE 0600	EN 60947
	IEC 60947
	UL Listed
	CSA Certified

defaultTaxonomyAttributeLabel

Type

Pushbutton

Actuator color

Red

Bezel

Black

Actuator function

Momentary

Enclosure

IP67

IP69K

Button color

Red

Actuator

Flush button

Operating mode

Momentary

Contact configuration

1 NC

Illumination

Non-illuminated

Series

C22

Etching code

X0

Operating cycles

5 million

Color

Red

Mounting method

Flush

Degree of protection

NEMA 13

NEMA 4X

Product category

Resources

Brochures

[C22 Pilot Devices](#)

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Drawings

[C22-PVT45P 3D Inventor](#)

[C22-PVT45P 3D Model Xchange](#)

[C22-PVT45P 2D Drawing Xchange](#)

[C22-PVT45P AutoCAD 2D Footprint \(mm\)](#)

[C22-PVT45P AutoCAD 2D Footprint](#)

[C22-PVT45P 2D PDF](#)

Multimedia

[How to size and select a Power Supply](#)

Specifications and datasheets

[Eaton Specification Sheet - C22S-D-R-X0-K01](#)

Flush pushbutton

Size

22.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia