

Eaton C22S-D-X-K10

Catalog Number: C22S-D-X-K10

Eaton, 22.5 mm RQM Compact Pushbutton,Buttonless,Black bezel,1NO,IP67, IP69K,Non-Illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,C22 Series

General specifications



Product Name	Catalog Number
Eaton C22 compact pushbutton	C22S-D-X-K10
EAN	Product Length/Depth
4015081193486	1.17 in
Product Height	Product Width
2.15 in	1.17 in
Product Weight	Warranty
0.1 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
DIN VDE 0600	CSA Certified
	EN 60947
	UL Listed
	IEC 60947

defaultTaxonomyAttributeLabel

Special features

Buttonless

Type

Pushbutton

Bezel

Black

Actuator function

Momentary

Enclosure

IP69K

IP67

Button color

Buttonless

Actuator

Flush button

Operating mode

Momentary

Contact configuration

1 NO

Illumination

Non-illuminated

Series

C22

Operating cycles

5 million

Color

Buttonless

Mounting method

Flush

Degree of protection

NEMA 4X

NEMA 13

Product category

Flush pushbutton

Size

Resources

Brochures

C22 Pilot Devices

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Drawings

C22-PVT45P 3D Inventor

C22-PVT45P AutoCAD 2D Footprint (mm)

C22-PVT45P 2D PDF

C22-PVT45P AutoCAD 2D Footprint

C22-PVT45P 3D Model Xchange

C22-PVT45P 2D Drawing Xchange

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - C22S-D-X-K10

22.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)