

Eaton C22S-DR-G-X1-K11

Catalog Number: C22S-DR-G-X1-K11

Eaton, 22.5 mm RQM Compact Pushbutton,Etching: X1,Green Actuator,Black bezel,1NO - 1NC,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,1,000,000 operations,Maintained,22.5 mm,Flush Pushbutton,C22 Series



General specifications

Product Name	Catalog Number
Eaton C22 compact pushbutton	C22S-DR-G-X1-K11
EAN	Product Length/Depth
4015081193493	1.17 in
Product Height	Product Width
2.15 in	1.17 in
Product Weight	Warranty
0.1 lb	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
Compliances	Certifications
DIN VDE 0600	IEC 60947
	UL Listed
	CSA Certified
	EN 60947

Catalog Notes

Maintained pushbuttons can be converted in the field to momentary operation by switching the locking ring, which is accessible through the side of the operator body.

defaultTaxonomyAttributeLabel

Type

Pushbutton

Actuator color

Green

Bezel

Black

Actuator function

Maintained

Enclosure

IP67

IP69K

Button color

Green

Actuator

Flush button

Operating mode

Maintained

Contact configuration

1 NO-1 NC

Illumination

Non-illuminated

Series

C22

Etching code

X1

Operating cycles

1 million

Color

Green

Mounting method

Flush

Degree of protection

NEMA 4X

NEMA 13

Product category

Resources

Brochures

[C22 Pilot Devices](#)

Catalogs

[Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions](#)

Drawings

[C22-PVT45P 2D Drawing Xchange](#)

[C22-PVT45P 3D Inventor](#)

[C22-PVT45P 3D Model Xchange](#)

[C22-PVT45P AutoCAD 2D Footprint \(mm\)](#)

[C22-PVT45P AutoCAD 2D Footprint](#)

[C22-PVT45P 2D PDF](#)

Multimedia

[How to size and select a Power Supply](#)

Specifications and datasheets

[Eaton Specification Sheet - C22S-DR-G-X1-K11](#)

Flush pushbutton

Size

22.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia