

Eaton C22S-DR-S-K01

Catalog Number: C22S-DR-S-K01

Eaton, 22.5 mm RQM Compact Pushbutton,Black Actuator,Black bezel,1NC,IP67, IP69K,Non-Illuminated,Flush mounting,NEMA 4X, 13,1,000,000 operations,Maintained,22.5 mm,Flush Pushbutton,C22 Series



General specifications

Product Name

Eaton C22 compact pushbutton

Catalog Number

C22S-DR-S-K01

EAN

4015081193721

Product Length/Depth

1.17 in

Product Height

2.15 in

Product Width

1.17 in

Product Weight

0.06 lb

Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances

DIN VDE 0600

Certifications

UL Listed
CSA Certified
EN 60947
IEC 60947

Catalog Notes

Maintained pushbuttons can be converted in the field to momentary operation by switching the locking ring, which is accessible through the side of the operator body.

defaultTaxonomyAttributeLabel

Type

Pushbutton

Actuator color

Black

Bezel

Black

Actuator function

Maintained

Enclosure

IP69K

IP67

Button color

Black

Actuator

Flush button

Operating mode

Maintained

Contact configuration

1 NC

Illumination

Non-illuminated

Series

C22

Operating cycles

1 million

Color

Black

Mounting method

Flush

Degree of protection

NEMA 13

NEMA 4X

Product category

Flush pushbutton

Size

Resources

Brochures

C22 Pilot Devices

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Drawings

C22-PVT45P 3D Inventor

C22-PVT45P 2D Drawing Xchange

C22-PVT45P AutoCAD 2D Footprint (mm)

C22-PVT45P 3D Model Xchange

C22-PVT45P 2D PDF

C22-PVT45P AutoCAD 2D Footprint

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - C22S-DR-S-K01

22.5 mm



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia