

Eaton E58-18DP100-ELP

Catalog Number: E58-18DP100-ELP

Eaton harsh-duty sensor, E58 Tubular 18mm Photoelectric Sensor, 0.71 dia, dist. 4 In., 2 Wire, 100 mA at 18-50Vdc/90-132Vac, 3 Pin Dual Key Pigtail Micro Connector, 90-132Vac/18-50Vdc input, Auto reset short circuit, 7 In



General specifications

Product Name	Catalog Number
Eaton harsh-duty sensor	E58-18DP100-ELP
UPC	Product Length/Depth
782114264607	0.71 in
Product Height	Product Width
3.15 in	0.71 in
Product Weight	Warranty
0.225 lb	3 year
Compliances	Certifications
CE Marked	UL Listed

Catalog Notes

Sensor will detect a 90% reflectance card at the Sensing Range; sensor will ignore a 90% reflectance card at the Cutoff Range

defaultTaxonomyAttributeLabel

Type

Photoelectric Sensor; E58 Harsh Duty

Contact Rating

100 mA at 18-50Vdc/90-132Vac

Cable type

Polyvinyl Chloride (PVC)

Enclosure material

Stainless steel

Operating mode

Background suppression

Connection

3-pin dual key pigtail micro connector

Contact configuration

2-wire AC/DC

Sensor type

Back ground suppression

Switch type

Photoelectric

Input voltage

90-132 Vac, 18-50 Vdc

LED indicator

Output status: red

Power consumption

2W

Protection

Auto reset short circuit

Cord length

7 in

Maximum DC current

100 mA

Operating temperature - max

158 °F

Operating temperature - min

-40 °F

Resources

Brochures

[Test the Best Photoelectric Sensors: E58 Series Harsh Duty](#)

Catalogs

[Eaton's Volume 8—Sensing Solutions](#)

[Product Range Catalog Sensors – products, basic information, applications](#)

Specifications and datasheets

[Eaton Specification Sheet - E58-18DP100-ELP](#)

Environmental rating

NEMA 1, NEMA 2, NEMA 3, NEMA 3R, NEMA 3S, NEMA 4,
NEMA 4X, NEMA 6, NEMA 6P, NEMA 12, NEMA 13, IP69K



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)