

Eaton E58-18DP50-EDPB

Catalog Number: E58-18DP50-EDPB

Eaton harsh-duty sensor, E58 Tubular 18mm Photoelectric Sensor, 0.71 dia, dist. 2 In., 2 Wire, 100 mA at 18-50Vdc/90-132Vac, 3 Pin Mini Pigtail Connector, 90-132Vac/18-50Vdc input, Auto reset short circuit, 7 In.(.18m)

General specifications



Product Name	Eaton harsh-duty sensor	Catalog Number	E58-18DP50-EDPB
UPC	782114264812	Product Length/Depth	0.71 in
Product Height	3.15 in	Product Width	0.71 in
Product Weight	0.225 lb	Warranty	3 year
Compliances	CE Marked	Certifications	UL Listed

Catalog Notes

Sensor will detect a 90% reflectance card at the Sensing Range; sensor will ignore a 90% reflectance card at the Cutoff Range

defaultTaxonomyAttributeLabel

Contact Rating

100 mA at 18-50Vdc/90-132Vac

Cable type

Polyvinyl Chloride (PVC)

Enclosure material

Stainless steel

Operating mode

Background suppression

Connection

3-pin mini pigtail connector

Contact configuration

2-wire AC/DC

Sensor type

Back ground suppression

Switch type

Photoelectric

Input voltage

90-132 Vac, 18-50 Vdc

LED indicator

Output status: red

Protection

Auto reset short circuit

Cord length

7 in

Maximum AC current

100 mA

Maximum DC current

100 mA

Operating temperature - max

158 °F

Operating temperature - min

-40 °F

Environmental rating

NEMA 1, NEMA 2, NEMA 3, NEMA 3R, NEMA 3S, NEMA 4, NEMA 4X, NEMA 6, NEMA 6P, NEMA 12, NEMA 13, IP69K

Resources

Brochures

[Test the Best Photoelectric Sensors: E58 Series Harsh Duty](#)

Catalogs

[Product Range Catalog Sensors – products, basic information, applications](#)

[Eaton's Volume 8—Sensing Solutions](#)

Specifications and datasheets

[Eaton Specification Sheet - E58-18DP50-EDPB](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)