

Eaton DM1-323D0NB-N20B

Catalog Number: DM1-323D0NB-N20B

Eaton PowerXL DM1 micro variable frequency drive, Three-phase, 230 V, 3 A, Internal brake chopper, IP20, No ST0 and no ethernet communications

Photo is representative

General specifications



Product Name	Catalog Number
Eaton PowerXL DM1 micro variable frequency drive	DM1-323D0NB-N20B
UPC	786689351182
Product Length/Depth	Product Height
7.03 in	5.98 in
Product Width	Product Weight
2.83 in	2.6 lb
Certifications	
UL Listed	

defaultTaxonomyAttributeLabel

Resources

Brake chopper

Specifications and datasheets

Internal brake chopper

Eaton Specification Sheet - DM1-323D0NB-N20B

Series

DM1

Drive type

General purpose

Frame size

FR1

Enclosure rating

IP00

Input phases

Three-phase

Output phases

Three-phase

Electromagnetic compatibility filter

No

Internal choke

No

Internal line reactor

No

Ambient operating temperature range

-10 to 50 °C CT

-10 to 40 °C VT

Conformal coated boards

Yes

User interface

None

Input voltage range

200-240 Vac

Input frequency range

50-60 Hz

Output frequency range

0-400 Hz

Max overload

200 %

Fuse size - max

15

Mounting Type

Panel mount

DIN rail

Digital inputs

4

Analog inputs

1

Relay outputs

2

Digital outputs

0

High overload (CT) hp

0.5

High overload (CT) kW

0.37

Low overload (VT) kW

0.75

Low overload (VT) amps

4.8

High overload (CT) amps

3

Low overload (VT) hp

1

Communications onboard

Modbus RTU

Bluetooth

Motor control modes

V/Hz

Open loop vector control

Motor type

Induction

Induction motor

Permanent magnet motor (SPM/IPM)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)