

Eaton PDG5X1TA1200

Catalog Number: PDG5X1TA1200

Eaton Power Defense terminal, molded case circuit breaker accessory, 1200 A, (4) AWG 4/0-500, PD5 Global, Frame J-K, Tunnel terminal, Aluminum, Class A, Frame 5

Photo is representative

General specifications

Product Name	Catalog Number
Eaton Power Defense terminal	PDG5X1TA1200
Model Code	UPC
None	786689318338
Product Length/Depth	Product Height
63.5 mm	63.5 mm
Product Width	Product Weight
79.375 mm	567 g
Compliances	Certifications
RoHS Compliant	CCC Marked
	IEC 60947-2
	UL 489
	CSA



Delivery program

Amperage Rating

1200 A

Frame

5

General information

Circuit breaker type

PD5 Global

Class

Class A

Frame size

Frame J-K

Series

Power Defense

Other

Wire material

Aluminum

Technical data - Mechanical - Terminals

Terminals

Tunnel terminal

Technical information

Wire size

(4) AWG 4/0-500

Resources

Installation videos

[Power Defense Frame 5 Aux, Alarm, ST and UVR Animated Instructions.rh1](#)

[Power Defense Frame 5 Shunt Trip, Aux and Alarm Trip How-To Video](#)

Multimedia

[Power Defense Frame 5 Trip Unit How-To Video](#)

[Power Defense Frame 6 Trip Unit How-To Video](#)

[Power Defense Frame 3 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense Frame 2 Variable Depth Rotary Handle Mechanism Installation How-To Video](#)

[Power Defense molded case circuit breakers](#)

[Power Defense Breakers](#)

[Eaton Power Defense for superior arc flash safety](#)

Specifications and datasheets

[Eaton Specification Sheet - PDG5X1TA1200](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia