

Eaton LGE3250FAG

Catalog Number: LGE3250FAG

Series G MCCB: LG Frame, 250A, Three-pole, 65 kAIC at 240V, 35 kAIC at 415V, 35 kAIC at 480V, 18 kAIC at 600V, Line/load standard w/ metric mounting hardware, Fixed thermal, adj. magnetic



Photo is representative

General specifications

Product Name	Catalog Number
Eaton Series G complete molded case circuit breaker	LGE3250FAG
	UPC
	782116142378
Product Length/Depth	Product Height
4.09 in	5.48 in
Product Width	Product Weight
5.48 in	16 lb
Warranty	Compliances
Eaton Selling Policy 25-000, one (1) year CE Marked from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.	Certifications
	UL Listed
	IEC Rated
	CSA Certified

Catalog Notes

LG breaker is HACR rated

defaultTaxonomyAttributeLabel

Type

Complete breaker

Amperage Rating

250 A

Trip Type

Fixed thermal, adjustable magnetic

Circuit breaker type

LG

Circuit breaker frame type

Complete breaker

Rating

80% rated

Series

Series G

Terminals

Line and load

Frame

LG

Frequency rating

50 to 60 Hz

Mounting hardware

Metric

Interrupt rating

35 kAIC at 480 Vac

18 kAIC at 600 Vac

65 kAIC at 240 Vac

Number of poles

Three-pole

Resources

Application notes

[Application of Multi-Wire Terminals for Molded Case Circuit Breakers](#)

[Application of Tap Rules to Molded Case Breaker Terminals](#)

Brochures

[StrandAble terminals product aid](#)

[Series G MCCB quick selector](#)

[Molded case circuit breakers providing higher levels of selective coordination product aid](#)

[Current limiting molded case circuit breaker module product aid](#)

[High performance operating handles for Series G circuit breakers product aid](#)

[Multi-wire lugs product aid](#)

[Circuit breaker motor operators product aid](#)

[Current limiting molded case circuit breaker module for series G, JG and CL](#)

[Motor protection circuit breakers product aid](#)

[Power metering and monitoring with Modbus RTU product aid](#)

[Comprehensive circuit protection for control panel applications](#)

[Plug-in adapters for molded case circuit breakers product aid](#)

[J-Frame 310+ and L-Frame 310+ Molded-case circuit breakers](#)

[Breaker service centers](#)

Catalogs

[Molded case circuit breakers catalog](#)

[Eaton's Volume 4—Circuit Protection](#)

Drawings

[LG-frame Molded Case Circuit Breaker Drawing](#)

Installation instructions

[Installation Instructions for Series G L-Frame Circuit Breakers](#)

Specifications and datasheets

[NG and ND-Frame molded case circuit breakers](#)

[MOEM MCCB product selection guide](#)

[L-Frame 310+ Molded-case circuit breakers 100A-600A](#)

[Eaton Specification Sheet - LGE3250FAG](#)

Time/current curves

[Series G, L-frame Time Current Curves](#)

Warranty guides



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.
All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)