

# Eaton 10250T580C53-1X

Catalog Number: 10250T580C53-1X

Eaton 10250T pushbutton, Assembled Push-Pull Unit, 10250T, 40 mm, NEMA 3, 3R, 4, 4X, 12, 13, Illuminated, Two-position, Maintained push and pull, Standard, Red actuator, Plastic bus, Emergency stop, resistor light unit, 1NO-1NC

## General specifications



### Product Name

Eaton 10250T pushbutton

### UPC

782114705391

### Product Height

2 in

### Product Weight

0.2 lb

### Compliances

CE Marked

### Catalog Notes

Assembled at Factory

### Catalog Number

10250T580C53-1X

### Product Length/Depth

4 in

### Product Width

2 in

### Warranty

1 year

### Certifications

UL Listed

CSA Certified

## defaultTaxonomyAttributeLabel

### Type

30.5 mm, Heavy-Duty

### Actuator color

Red

### Bus material

Plastic

### Actuator

Standard

### Operating mode

Pull: maintained

Push: maintained

### Contact configuration

1 NO-1 NC

### Illumination

Illuminated

### Series

10250T

### Legend

EMERGENCY STOP

### Light unit type

Incandescent, resistor

### Light unit voltage

120 Vac/dc

### Number of positions

2

### Rating

NEMA 4X

NEMA 13

NEMA 4

NEMA 3

NEMA 3R

NEMA 12

### Size

40 mm

## Resources

### Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

### Multimedia

How to size and select a Power Supply

### Specifications and datasheets

Eaton Specification Sheet - 10250T580C53-1X



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)