

Date:	Project Name:
Type:	Part Number:

SPECIFICATION

ORDER#	MODEL#	WATTS	VOLTAGE (V)	CCT (K)	LUMENS	EFFICACY	CRI
R33026	RENO-LSN2-22W-DV-MCCT-MS	22W	120-347V	3500K	3527 lm	160.3 lm/W	>80
				4000K	3740 lm	170 lm/W	
				5000K	3542 lm	161 lm/W	
R33020	RENO-LSN4-DV-MW-MCCT-MS	22W	120-347V	3500K	3593 lm	163.3 lm/W	>80
		28W			4544 lm	162.3 lm/W	
		36W			5807 lm	161.3 lm/W	
		44W			7053 lm	160.3 lm/W	
		22W		4000K	3806 lm	173 lm/W	>80
		28W			4816 lm	172 lm/W	
		36W			6156 lm	171 lm/W	
		44W			7480 lm	170 lm/W	
		22W		5000K	3608 lm	164 lm/W	>80
		28W			4564 lm	163 lm/W	
		36W			5832 lm	162 lm/W	
		44W			7084 lm	161 lm/W	
R33021	RENO-LSN8-DV-MW-MCCT-MS	48W	120-347V	3500K	7843 lm	163.4 lm/W	>80
		68W			11,043 lm	162.4 lm/W	
		90W			14,526 lm	161.4 lm/W	
		48W		4000K	8304 lm	173 lm/W	>80
		68W			11,696 lm	172 lm/W	
		90W			15,390 lm	171 lm/W	
		48W		5000K	7872 lm	164 lm/W	>80
		68W			11,084 lm	163 lm/W	
		90W			14,580 lm	162 lm/W	

Date:	Project Name:
Type:	Part Number:

DLC CHART

ORDER#	MODEL#	APPLICATION	DLC	
			STANDARD	PREMIUM
R33026	RENO-LSN2-22W-DV-MCCT-MS	Direct Linear Ambient Luminaires	S-SYN41L	
		Stairwell and Passageway Luminaires		S-DRA2TN
R33020	RENO-LSN4-DV-MW-MCCT-MS	Direct Linear Ambient Luminaires	S-XJ5NO7	
		Low-Bay Luminaires for Commercial and Industrial Buildings	S-CEJ1VP	
		Stairwell and Passageway Luminaires		S-SHT7R4
R33021	RENO-LSN8-DV-MW-MCCT-MS	Direct Linear Ambient Luminaires	S-F8KWGX	
		High-Bay Luminaires for Commercial and Industrial Buildings	S-BD9243	
		Stairwell and Passageway Luminaires		S-5H2VSL

ACCESSORIES OPTIONS

ORDER#	MODEL#	DESCRIPTION
R39501	L-BRACKET	L-Bracket for 90° Installation
R39502	I-BRACKET	I-Bracket for straight continuous Installation
R39503	RENO-LSN4-WG	LED Linear Strip Wire Guard for 4ft
R39504	RENO-LSN8-WG	LED Linear Strip Wire Guard for 8ft
R83004	RENO-EM-C08	Emergency LED Driver



L-BRACKET




RENO-LSN4-WG



RENO-EM-C08



I-BRACKET



RENO-LSN8-WG



Date:	Project Name:
Type:	Part Number:

SENSOR OPTIONS

ORDER#	MODEL#	DESCRIPTION
R74002	RENO-SENSOR-PIR-H-EX	For external mounting when installed above 13FT



RENO-SENSOR-PIR-H-EX

REMOTE OPTIONS

ORDER#	MODEL#	DESCRIPTION
R73002	RENO-REMOTE-H	Controller for Bi-Level Sensor (with screen)
R73005	RENO-REMOTE-H-ECO	Remote Control - ECO (without screen)



RENO-REMOTE-H



RENO-REMOTE-H-ECO