

PRODUCT-DETAILS

# CR324C360F

## BLOCK OVERLOAD RELAY-CR324C360F Nema Overload Relay



360°

### General Information

Global Commercial Alias	CR324C360F
Extended Product Type	BLOCK OVERLOAD RELAY-CR324C360F
Product ID	7GSP021445R0006
Catalog Description	BLOCK OVERLOAD RELAY-CR324C360F Nema Overload Relay
Long Description	Cr324 OL are availbe in Thermal and Electronic Solid-state for size 0-6.

### Ordering

Minimum Order Quantity	1 EA
Customs Tariff Number	85365040
Product Main Type	Nema Overload Relay

### Dimensions

Product Net Width	3.6 in
Product Net Depth / Length	3.77 in
Product Net Height	3.7 in
Product Net Weight	1.324 lb

---

### Technical UL/CSA

---

NEMA Size	1
-----------	---

---



---

### Material Compliance

---

WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

### Certificates and Declarations

---

UL Certificate	20150615-E2403
UL Listing Card	20150615-E2403

---



---

### Container Information

---

Package Level 1 Units	1 piece
Package Level 1 Width	4 in
Package Level 1 Depth / Length	4 in
Package Level 1 Height	4 in
Package Level 1 Gross Weight	1.4 lb

---



---

### Classifications

---

eClass	V11.1 : 27370905
ETIM 6	EC001037 - Motor starter/Motor starter combination
ETIM 7	EC001037 - Motor starter/Motor starter combination
ETIM 8	EC001037 - Motor starter/Motor starter combination
ETIM 9	EC001037 - Motor starter/motor starter combination
UNSPSC	39121521

---



---

### Categories

---

Low Voltage Products and Systems → Control Products → Contactor Starters → Enclosed Starters



360