



IPSD6-1LZ

Decora Motion Sensor In-Wall Dimmer, Auto-On, 2.5A, Single Pole or 3-way

Decora Motion Sensor. 180 Degree PIR auto-on wall box sensor, single pole or 3-way when used with a 3-way switch, 150W LED /CFL, 600W incandescent/halogen, wallplate sold separately – White, Ivory & Light Almond

DISCONTINUED

Suggested Replacement SKUs: :

- CONVENIENT - Detects motion and turns lights ON/OFF automatically
- ENERGY SAVING – Helps prevent lights from being left on when room is vacant
- FLEXIBLE – Single Pole or 3-way installation when used with a 3-way switch
- PRACTICAL – Allows the light to be dimmed

Technical Information

Product Features

Auto-ON/Auto-OFF : Yes

California Title 24 : No

Color : White, Ivory, Light Almond

Coverage (Sq.Ft.) : 180°, 900 Sq. Ft

Grade : Residential

Ground Connection : No

LED Color : Green

Load Rating : 150W dimmable LED/CFL, 600W Incandescent

Mounting Type : Wall Switch

Neutral : No

Ordering Notes : Includes White, Light Almond and Ivory Color Change Kit

Pole : 1

Sensor Technology : Passive Infrared

Sensor Type : Occupancy

Standards and Certifications : UL, FCC

Style Name : Decora

Switch : Relay

Time Delay : 30S, 5M, 15M,
30M

Torque Range : 14 – 18 in.-lbs

Voltage : 120 VAC

Wallplate : Order Separately

Warranty : 5-Year Limited

Features and Benefits

- Easily switches and dims Incandescent and Dimmable CFL, LED bulbs
- Automatic-ON/Automatic OFF operation for seamless energy management
- Can be used to comply with California Title 24, Part 6 Vacancy Control Device Requirements
- Single Pole or 3 Way when used with a standard 3-way switch
- Low-Profile design eliminates an obtrusive "scanning device" look. Elegant styling complements any interior and coordinates with Leviton's popular line of Decora® wiring devices
- 180 degree field-of-view provides approximately 900 square feet of coverage suitable for bathrooms, basements, garages, utility rooms and a variety of other residential areas
- Convenient push-button provides Manual OFF light switching at any time
- Segmented lens provides optimum sensitivity and performance. It is designed with an extensive "minor motion" area where even slight body movements will be detected
- Four optional manual adjustments for delayed-OFF time settings maximize energy savings: 30 seconds (for walking test), 10 minutes, 20 minutes and 30 minutes
- LED Indicator Light flashes when sensor detects motion to verify detection is active
- Fits in standard wallbox and replaces single-pole wall switch
- Neutral wire not required, suitable for retrofit and new construction applications
- Five-Year Limited warranty

Patents *

CA145184	CA2708330
MX295581	MX315382
MX38587	US7924155
US8944859	US8981299
USD706726	

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

SPECIFICATION SUBMITTAL

JOB NAME:

CATALOG NUMBERS:

JOB NUMBER:		

Leviton Manufacturing Co., Inc

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.

T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·

FAX: +1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)

5386- 1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2024 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to:

www.leviton.com/international/contacts

© 2024 Leviton Manufacturing Co., Inc.