



## DSL06-1LZ

Decora Slide Dimmer Switch for Dimmable LED, Halogen and Incandescent Bulbs

Replace a wall light switch with an Decora Slide dimmer switch. 300W LED, 600W incandescent/halogen, 60Hz, single pole or 3-way installation. Can be installed with or without a neutral wire, use with Decora wallplate or Decora Plus Screwless Wallplate sold separately – White with ivory and light almond faceplates

- CONVENIENT – An easy way to create a big impact for a minimal cost and customize the light level in any room, for any occasion and in any home
- EASY TO INSTALL – Slim profile for easier installation. Works with existing wiring, no neutral wire required for installation
- PRACTICAL – Designed to dim LED bulbs. To find out which LED bulbs pair best, visit our online bulb compatibility tool by clicking the "find an LED bulb" button below
- CUSTOMIZEABLE – adjustable minimum and maximum dimming range for LED bulbs to help eliminate flicker, maximize energy savings, and optimize ambiance
- VERSATILE – Control the lights from two locations using the DSL06 in the main location and a 3-way switch (sold separately) in the second location
- STYLISH – Easily change the color using DSKIT faceplates available in white, ivory, light almond, gray, black, brown and red
- Now available in bulk pack - white color only

### Technical Information

#### Product Features

**Action** : Rocker Switch for ON /OFF, slide bar for lighting level control

**Available Colors** : Ivry-I Wht-W Gry-G Blk-E Brwn-B Light Almond-T, R-Red

**Color** : White, Ivory, Light Almond

**Frequency** : 60 Hz

**Light** : Locator light that can be turned off

**Load Rating** : 600W Incandescent, 300W LED and CFL

**Load Type** : Incandescent, Dimmable LED, Dimmable CFL

**Ordering Notes** : Included White, Ivory and Light Almond Color Kit

**Preset** : Slide bar preserves desired lighting level

**Protection** : Radio/TV Filter

**Standards and Certifications**  
: cCSAus, NOM

**Style Name** : Decora

**Switch Type** : Single-Pole & 3-Way

**Torque Range** : 14 – 18 in.-lbs

**Type** : Dimmer

**Voltage** : 120 VAC

**Wallplate** : Order Separately

**Warranty** : 5-Year Limited

## Features and Benefits

- Integrated linear full-range slide control for easy, precise operation
- Separate On/Off switch, to preserve set light level when turned off
- Slim, compact housing fits easily into a standard wall box
- Works with existing wiring, no neutral wire required for installation
- Designed to dim LED bulbs. To find out which LED bulbs pair best, visit our online bulb compatibility tool
- Adjustable minimum and maximum dimming range for LED bulbs to help eliminate flicker, maximize energy savings, and optimize ambiance
- Control the lights from two locations using the TSL06 in the main location and a 3-way switch (sold separately) in the second location
- Available in the following colors: white, ivory and light almond

## Patents\*

US9431192

CA2798964

US8664886

US9681526

US8944859

This list is provided for patent marking purposes only. A good faith effort is made to maintain the accuracy and completeness of this list. No legal inference should be drawn from the omission of a patent from this list.

## SPECIFICATION SUBMITTAL

JOB NAME: <input type="text"/>	CATALOG NUMBERS: <input type="text"/> <input type="text"/>	
JOB NUMBER: <input type="text"/>	<input type="text"/> <input type="text"/>	

**Leviton Manufacturing Co., Inc**

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 · FAX: +1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.  
T. Monday-Friday): +1-800-824-3005

**Leviton Manufacturing of Canada, Ltd.**

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 ·  
FAX: +1-800-824-3005 · [www.leviton.com/canada](http://www.leviton.com/canada)

**Leviton S. de R.L. de C.V.**

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)  
5386- 1797 · [www.leviton.com.mx](http://www.leviton.com.mx)

**Visit our Website at: [www.leviton.com](http://www.leviton.com)**

© 2024 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without  
notice.

**Leviton has a global presence.**

If you would like to know where your local Leviton office is located please go to:  
[www.leviton.com/international/contacts](http://www.leviton.com/international/contacts)

**© 2024 Leviton Manufacturing Co., Inc.**