

T5 High Output

F39T5/830/HO/ALTO 40PK


Philips T5 HO lamps are environmentally-responsible, ultra-slim and have extraordinary light output and longer life.

Product data

General Information		Mechanical and Housing	
Cap-Base	G5	Bulb Shape	T5
Features	HO Alto® [High Output Alto]	Approval and Application	
Light Technical			Mercury (Hg) Content (Nom) 1.4 mg
Color Code	830 [CCT of 3000K]	Product Data	
Luminous Flux	3,500 lm	Order product name	39W/830 Min Bipin T5 HO ALTO UNP
Color Designation	Warm White (WW)	Full product name	F39T5/830/HO/ALTO 40PK
Luminous Efficacy (rated) (Nom)	82 lm/W	Order code	290221
Correlated Color Temperature (Nom)	3000 K	Material Nr. (12NC)	927992683022
Color rendering index (CRI)	82	Numerator - Quantity Per Pack	1
Operating and Electrical			Net Weight (Piece) 78.000 g
Power Consumption	38.0 W	EAN/UPC - Product/Case	046677290221
Lamp Current (Nom)	0.325 A	Numerator - Packs per outer box	40
Controls and Dimming			EAN/UPC - Case 50046677290226
Dimmable	Yes		


T5 High Output

Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
39W/830 Min Bipin T5 HO ALTO UNP	17 mm	849.0 mm	856.1 mm	853.7 mm	863.2 mm

Photometric data




Spectral Power Distribution Colour - 39W/830 Min Bipin T5 HO ALTO UNP

Lifetime



Life expectancy diagram - 3 hour cycle



Lumen Maintenance Diagram - 39W/830 Min Bipin T5 HO ALTO UNP

T5 High Output

Lifetime

Life expectancy diagram - 12 hour cycle

