

2024 Specification Sheet - English**LONG DESCRIPTION –****Long Description Marketing Copy**

Non-conductive fiberglass tape with patented low-friction coating for faster and easier fishing. Perfect for fishing in conduit with wire or cable present. Advanced comfort handle grip reduces fatigue. Superior rapid tape pay-out and rewind

PRODUCT NAME –**Page Title**

.187"X200' Fiberglass Fishtape in Reel

PRODUCT OVERVIEW –**Marketing Text 1**

Non-conductive fiberglass tape with patented low-friction coating for faster and easier fishing

Marketing Text 2

Perfect for fishing in conduit with wire or cable present

Marketing Text 3

Advanced comfort handle grip reduces fatigue

Marketing Text 4

Superior rapid tape pay-out and rewind

Marketing Text 5

Smaller Fish Eye with offset bend for improved fishing ability

Marketing Text 6

Improved low profile tip for easy fishing through all sizes of conduit

Marketing Text 7

Viewing Port gives visibility to remaining tape and ability to remove jobsite debris quickly

Marketing Text 8

Rugged case design improves drop impact capability

Marketing Text 9

Flared case with Grip Ridges for no slip handling

Marketing Text 10

Available in 50 FT (152 m), 100 FT (305 m) and 250 FT(762 m) lengths

Marketing Text 11

Replaceable tips

Marketing Text 12

Exclusive, unique, lightweight reel for easy positive feed out and rewind

Marketing Text 13

Excellent for installation of telecommunications and data communication cables in overhead plenums, above suspended ceilings and under floors

Marketing Text 14

Fiberglass fish tape is the fastest manual fish tape available

Marketing Text 15

It is intended for fishing only

PRODUCT SPECIFICATION –**Product Specification 1**

Sub Brand : MagnumPRO

Product Specification 2

Tensile Strength : 400.000 LB (1.700 KN) Maximum Design Strength

Product Specification 3

Diameter : 3/16 IN (4.700 MM)

Product Specification 4

Material : Fiberglass

Product Specification 5

Type : Non Conductive

Product Specification 6

Accessory : 35919 1/8 IN (3 MM) Pulling Eye, 35930 3/16 IN (4.7 MM) Pulling Eye

Product Specification 7

Reel Type : Lightweight

Product Specification 8

Application : For Installation Of Telecommunications And Data Communication Cables In Overhead Plenums, Above Suspended Ceilings And Under Floors And For Fishing In Conduit With Wire Or Cable Present

Product Specification 9

Replacement Part : 05157 Replacement Fiberglass Tape - 200 FT X 3/16 IN (NO CASE). 10565 Pulling Eye Repair Kit For 11/64 IN (4.3 MM) Diameter Fish Tapes (Includes: Pulling Eye And Adhesive). 35750G Accessory Kit For 3/16 IN (4.78 MM) Fish Tapes (Includes Flexible Pulling Leader, Flexible Pushing Leader, Pulling Eye, Splice Ferrule And Threaded Ferrule).