

Busbar system, accessories Busbar center-to-center spacing 60 mm TT profile busbar, 1600A Length 2400 mm E-CU tin-coated



Model	
product brand name	SENTRON
product designation	TT-profile copper
design of the product	Accessories
Mechanical Design	
height	350 mm
thickness of the busbar	
• minimum	5 mm
busbar center-to-center spacing	60 mm
net weight	15 600 g
Approvals Certificates	
General Product Approval	




[Confirmation](#)



Test Certificates	other	Environment
Miscellaneous	Confirmation	Miscellaneous
		Environmental Confirmations
		Environmental Confirmations

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1948-2AA00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8US1948-2AA00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1948-2AA00
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications



last modified:

8/5/2021 

