Eaton FWP-30A14FI

Catalog Number: FWP-30A14FI

Eaton Bussmann series FWP high speed fuse, 690 Vac (IEC), 700 Vac (UL), 600 Vdc (UL), 30A, 200 kAIC at 700 Vac, 50 kAIC at 600 Vdc, With Indicator, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceremic

General specifications

Product Name

Catalog Number d FWP-30A14FI

Eaton Bussmann series high speed

UPC

cylindrical fuse

051712510783

EAN Product Length/Depth

5027590500586 52 mm

Product Height Product Width

15 mm 15 mm

Product Weight Warranty

23 g Not Applicable

Compliances Certifications
CE Marked CSA Certified
RoHS Compliant UL Recognized



Product specifications

Used with

Finger safe holders/blocks and striker

Type

High speed fuse

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Amperage Rating

30 A

Breaking capacity

200 kA

Frequency rating - max

62 Hz

Frequency rating - min

45 Hz

Fuse indicator

Top fuse status indicator

Release characteristic

Other

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC/DC

Fuse size

14 x 51 mm

Class

Class aR

Clearing (I2T)

400

Watt losses

9 W

Fuse shape

Cylindrical

Pre arc (I2T)

58

Resources

Catalogs

eaton-bus smann-series-iec-high-speed-fuses-catalogue-ca 135001 en-engb.pdf

Bussmann series complete full line catalog no. 1007

Declarations of conformity

CE FWC-*A10F,FWH-*A14F,FWP-*A14F,FWP-*A14FI etc

UKCA FWC-*A10F,FWH-*A14F,FWP-*A14F,FWP-*A14FI etc

Installation videos

Eaton's Switch disconnectors and Bussmann series fuses for MOEM Applications (brightcove.net)

Technical data sheets

720025 FWP

White

Interrupt rating

200 kAIC

Fitted with:

Striker

Connection

Ferrule end x ferrule end

Construction size

14 mm x 51 mm

Material

Ceramic

Packaging type

Standard

Quantity

10

Voltage rating

700 V

Fuse type

FWP-A14FI



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia