

Eaton XTCE009B01A

Catalog Number: XTCE009B01A

Eaton XT IEC contactor, 9A, 110 Vac 50 Hz, 120 Vac 60 Hz, 1NC, 9A, Frame B, 45 mm, 50-60 Hz, 0.5, 1, 1.25/ 3, 3, 5, 7.5 hp (1/3PH @115, 200, 230/200, 230, 460, 575 V), Three-pole, Screw terminals, Full voltage non-reversing contactor

General specifications



Product Name

Eaton XT IEC contactor

EAN

4015082767228

Product Height

2 in

Product Weight

0.5070632 lb

Certifications

UL Listed
CSA Certified
IEC 60947
EN 60947

Catalog Number

XTCE009B01A

Product Length/Depth

2.75 in

Product Width

3 in

Compliances

RoHS Compliant
CE Marked

Catalog Notes

Screw terminals (6-65A); 5 mm (80-150A); no lugs (185-2000A)

Product specifications

Amperage Rating

9A

HP rating - max

0.5, 1, 1.25/ 3, 3, 5, 7.5 hp (1/3PH
@115,200,230/200,230,460,575 V)

Number Of Poles

Three-pole

Type

Full voltage non-reversing contactor

Frequency rating

50-60 Hz

Frame size

45 mm

Terminals

Screw terminals

Coil voltage

110-120 Vac, 50/60 Hz

Contact configuration

1 NC

Continuous ampere rating

9 A

Series

XT IEC

Operation

Non-reversing

Resources

Drawings

[XTCE_B 2D Drawing Xchange](#)

[XTCE_B 3D Model Xchange](#)

[XTCE_B 3D Inventor](#)

[XTCE_B AutoCAD 2D Footprint](#)

[XTCE_B 2D PDF](#)

Specifications and datasheets

[Eaton Specification Sheet - XTCE009B01A](#)

[Global Data Sheet - XTCE009B01A](#)

Warranty guides

[Selling Policy 25-000 - Distribution and Control Products and Services](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



Eaton.com/socialmedia