



Busbar system Busbar center-to-center spacing 60 mm Device adapter, Width: 185mm Bar thickness: 5.10 mm+TT profile for switchgear up to 630 A 3KA52/53, 3KL52/53 For 3VF4/5, additionally order 8US1927-4AF00 For 3VL1+DI, 3VL4, additionally order 8US1927-4AF01

Model	
product brand name	SETRON
product designation	Device adapter
design of the product	Accessories
Mechanical Design	
height	320 mm
width of the adapter	184 mm
depth	68 mm
thickness of the busbar	
• minimum	5 mm
busbar center-to-center spacing	60 mm
net weight	2 651 g

Approvals Certificates		
General Product Approval	Test Certificates	Marine / Shipping

[Confirmation](#)



[Miscellaneous](#)



other	Environment
-------	-------------

[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1210-4AF00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1210-4AF00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1210-4AF00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

5/29/2021

