



Connection terminal set, 3-pole for flat bars to 32x 20 mm Busbar center-to-center spacing 60 mm UL 508A *** Cover 8US1922-1GC00 to be ordered separately ***

Model	
product brand name	SETRON
product designation	Connecting terminal
design of the product	Accessories
suitability for use	Flat bars up to 32 x 20 mm
product feature halogen-free	Yes
Connections	
type of connectable conductor cross-sections of the laminated conductor rails	3x20 - 15x32 mm
Mechanical Design	
busbar center-to-center spacing	60 mm
net weight	1 339 g
Approvals Certificates	
General Product Approval	



[Confirmation](#)



Test Certificates	other	Environment
-------------------	-------	-------------

[Miscellaneous](#)



[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1941-2AA04
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/8US1941-2AA04
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1941-2AA04
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications



last modified:

9/29/2024 

