



PEGA CHANNEL

2.43-Meter (96" / 8-ft) Aluminum Surface Mounting Channel with Lens
Cove, Under Cabinet & Millwork

Job Information	
Project Name	Type
Location	
Quantity	Date
Contact/Phone	
Notes	

Features

Construction

This mounting channel is constructed from ALCOA 6063-T5 aluminum alloy that allows for increased heat dissipation. The frosted diffusing lens is constructed from PC.

Lens

The regressed lens is frosted and offers excellent light dispersion and output, available in a black option. Alternate lens options available (refer to ordering guide).

Mounting

Provided with 4 hidden mounting clips with screws for perfect surface mount applications. Field cuttable to any length. For indoor use only.

Application

Accent light in under cabinet and cove applications. General illumination lighting and custom layouts.

Accommodates flexible tape up to 20mm wide with connectors.

Kit Includes


- 2.43-meter (96" / 8-ft) Aluminum channel
- 2.43-meter (96" / 8-ft) Lens
- Hidden surface mounting clips with screws (4pcs)
- End caps (2pcs)



Description

This 2.43-meter (96" / 8-ft) Aluminum surface mounting channel with lens securely mounts with flexible LED tape. Includes 4 hidden mounting clips and 2 end caps.

Technical Drawings



Notes: Additional accessories, including end caps with hole for side feed, mounting bracket options and extensions sold separately. Refer to page 2 for accessories. For additional options please consult your Liteline representative.
Due to our continued efforts to improve our products, product specifications are subject to change without notice.

Ordering Guide

TP-AL2426 - - - KT



AL : Aluminum
BK : Black
WH : White
ST : Regressed, frosted
SB : Regressed, frosted, black
FL : Full Coverage, frosted
FB : Full Coverage, frosted, black
SQ : Square, frosted
FS : Focus

Mounting Accessories



TP-AL2426-BKT-PH-AL
Hidden bracket, aluminum, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-M-AL
Magnetic bracket, aluminum, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-90-AL
90-Deg wall bracket, aluminum, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-90-BK
90-Deg wall bracket, black, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-90-WH
90-Deg wall bracket, white, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-1S-AL
1-Side wall bracket, aluminum, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-1S-BK
1-Side wall bracket, black, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-1S-WH
1-Side wall bracket, white, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-2S-AL
2-Side wall bracket, aluminum, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-2S-BK
2-Side wall bracket, black, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-2S-WH
2-Side wall bracket, white, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-SW-AL
Swivel bracket, aluminum, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-SW-BK
Swivel bracket, black, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-BKT-SW-WH
Swivel bracket, white, for use with TP-AL2426 channel series, 2-pack.



TP-AL2426-SUS-15-AL
Suspension kit with 15' wire, aluminum, for use with TP-AL2426 channel series.



TP-AL2426-SUS-15-BK
Suspension kit with 15' wire, black, for use with TP-AL2426 channel series.

Extension Accessories



TP-AL2426-EXT-S
Straight extender, for use with TP-AL2426 channel series.



TP-AL2426-EXT-H45
45-Deg horizontal extender, for use with TP-AL2426 channel series.



TP-AL2426-EXT-H90
90-Deg horizontal extender, for use with TP-AL2426 channel series.



TP-AL2426-EXT-V45
45-Deg vertical extender, for use with TP-AL2426 channel series.



TP-AL2426-EXT-V90
90-Deg vertical extender, for use with TP-AL2426 channel series.

End Caps



TP-AL2426-EC-AL
End cap, aluminum, for use with TP-AL2426-AL with standard lens.



TP-AL2426-EC-H-AL
End cap with hole, aluminum, for use with TP-AL2426-AL with standard lens.



TP-AL2426-EC-BK
End cap, black, for use with TP-AL2426-BK with standard lens.



TP-AL2426-EC-H-BK
End cap with hole, black, for use with TP-AL2426-BK with standard lens.



TP-AL2426-EC-WH
End cap, white, for use with TP-AL2426-WH with standard lens.



TP-AL2426-EC-H-WH
End cap with hole, white, for use with TP-AL2426-WH with standard lens.



TP-AL2426-EC-FL-AL
End cap, aluminum, for use with TP-AL2426-AL with full coverage lens.



TP-AL2426-EC-FLH-AL
End cap with hole, aluminum, for use with TP-AL2426-AL with full coverage lens.



TP-AL2426-EC-FL-BK
End cap, black, for use with TP-AL2426-BK with full coverage lens.



TP-AL2426-EC-FLH-BK
End cap with hole, black, for use with TP-AL2426-BK with full coverage lens.



TP-AL2426-EC-FL-WH
End cap, white, for use with TP-AL2426-WH with full coverage lens.



TP-AL2426-EC-FLH-WH
End cap with hole, white, for use with TP-AL2426-WH with full coverage lens.



TP-AL2426-EC-FS-AL
End cap, aluminum, for use with TP-AL2426-AL with focus lens.



TP-AL2426-EC-FSH-AL
End cap with hole, aluminum, for use with TP-AL2426-AL with focus lens.



TP-AL2426-EC-FS-BK
End cap, black, for use with TP-AL2426-BK with focus lens.



TP-AL2426-EC-FSH-BK
End cap with hole, black, for use with TP-AL2426-BK with focus lens.



TP-AL2426-EC-FS-WH
End cap, white, for use with TP-AL2426-WH with focus lens.



TP-AL2426-EC-FSH-WH
End cap with hole, white, for use with TP-AL2426-WH with focus lens.



TP-AL2426-EC-SQ-AL
End cap, aluminum, for use with TP-AL2426-AL with square lens.



TP-AL2426-EC-SQH-AL
End cap with hole, aluminum, for use with TP-AL2426-AL with square lens.



TP-AL2426-EC-SQ-BK
End cap, black, for use with TP-AL2426-BK with square lens.



TP-AL2426-EC-SQH-BK
End cap with hole, black, for use with TP-AL2426-BK with square lens.



TP-AL2426-EC-SQ-WH
End cap, white, for use with TP-AL2426-WH with square lens.



TP-AL2426-EC-SQH-WH
End cap with hole, white, for use with TP-AL2426-WH with square lens.

Reflector



TP-AL2426-REF-WH
High efficiency reflector, white, for use with TP-AL2426 kit series.

Corners



TP-AL2426-90C-AL
90° Corner profile, 6"x6", aluminum, for use with TP-AL2426-AL kit series.



TP-AL2426-90C-BK
90° Corner profile, 6"x6", black, for use with TP-AL2426-BK kit series.



TP-AL2426-90C-WH
90° Corner profile, 6"x6", white, for use with TP-AL2426-WH kit series.

Covers

**TP-AL2426-COVER-AL**

Cover, aluminum, for use with TP-AL2426-AL kit series.

**TP-AL2426-COVER-BK**

Cover, black, for use with TP-AL2426-BK kit series.

**TP-AL2426-COVER-WH**

Cover, white, for use with TP-AL2426-WH kit series.

Lenses

**TP-AL2426-LENS**

8' Regressed lens, frosted, for use with TL-AL2426 channel series.

**TP-AL2426-LENS-FL**

8' Full coverage lens, frosted, for use with TL-AL2426 channel series.

**TP-AL2426-LENS-FS**

8' Focus lens, for use with TP-AL2426 channel series.

Precision Pro

**TP-AL2426-PDW1**

½" Drywall channel, 4', for use with TP-AL2426 channel series.

**TP-AL2426-PDW5**

⅝" Drywall channel, 4', for use with TP-AL2426 channel series.

TP-AL2426-LENS-SQ

8' Square lens, frosted, for use with TL-AL2426 channel series.