



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE CLIPS WITH FINGER GUARDS WILL ADD 0.13"[3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<p>H1 0V</p> <p>H2 480 480 440</p> <p>H3 600 575 550</p> <p>HV TERMINAL LOCATION</p> <p>MADE IN MEXICO</p>	<p>H1 <input type="checkbox"/> H2 <input type="checkbox"/> H3 <input type="checkbox"/></p> <p><b>hammond</b> POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER C2G5000ACP 5000 VA</p> <p>252L E50394 180-7 TYPE 3AH</p> <p>LR3902 TYPE 3AH</p>	<p>LISTED 252L E50394 180-7 TYPE 3AH</p> <p>LISTED 252L E50394 180-7 TYPE 3AH</p>	<p>LV TERMINAL LOCATION</p> <table border="1" style="font-size: small;"> <tr><td>120</td><td>240</td></tr> <tr><td>115</td><td>230</td></tr> <tr><td>110</td><td>220</td></tr> <tr><td>X4</td><td>X2</td></tr> <tr><td>X3</td><td>X1</td></tr> <tr><td></td><td>GND</td></tr> </table> <p>P/N C2G5000ACP 5000 VA 60 Hz 180°C CLASS</p>	120	240	115	230	110	220	X4	X2	X3	X1		GND	<p>hps</p> <p>SN</p> <p>T2 T1 X4 X2 X3 X1 GND</p>
120	240															
115	230															
110	220															
X4	X2															
X3	X1															
	GND															

NOTES:



TITLE: 1 PHASE GENERAL PURPOSE CONTROL TFX

NO.	DATE	BY	REVISION

DES: MSARAF  
DATE: 25/06/14  
SCALE: NTS

SHEET 1 OF 1  
EJBC2G5000ACP