



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE CLIPS WILL ADD 0.35"[9mm] TO HEIGHT
- OPTIONAL FUSE CLIPS WITH FINGER GUARDS WILL ADD 0.48"[12mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="0"> <tr><td>H1</td><td>H2</td><td>H3</td><td>H4</td></tr> <tr><td>OV</td><td>240</td><td>480</td><td>600</td></tr> <tr><td></td><td>230</td><td>460</td><td>575</td></tr> <tr><td></td><td>220</td><td>440</td><td>550</td></tr> </table>	H1	H2	H3	H4	OV	240	480	600		230	460	575		220	440	550				<table border="0"> <tr><td>H1</td><td>H2</td><td>H3</td><td>H4</td></tr> <tr><td colspan="4">CONTROL TRANSFORMER</td></tr> <tr><td colspan="4">P/N C2G0500MBMH</td></tr> <tr><td colspan="4">500 VA</td></tr> </table>	H1	H2	H3	H4	CONTROL TRANSFORMER				P/N C2G0500MBMH				500 VA				 252L E50394 PD012 TYPE 3AH	 LR3902 TYPE 3AH	<table border="0"> <tr><td>P/N</td><td>C2G0500MBMH</td></tr> <tr><td>500 VA</td><td>50/60 Hz</td></tr> <tr><td>130°C CLASS</td><td></td></tr> </table>	P/N	C2G0500MBMH	500 VA	50/60 Hz	130°C CLASS		<table border="0"> <tr><td>LV TERMINAL LOCATION</td><td></td><td></td></tr> <tr><td>120</td><td>100</td><td>OV</td></tr> <tr><td>115</td><td>96</td><td></td></tr> <tr><td>110</td><td>92</td><td></td></tr> <tr><td>X3</td><td>X2</td><td>X1</td></tr> <tr><td></td><td></td><td>GND</td></tr> </table>	LV TERMINAL LOCATION			120	100	OV	115	96		110	92		X3	X2	X1			GND
H1	H2	H3	H4																																																													
OV	240	480	600																																																													
	230	460	575																																																													
	220	440	550																																																													
H1	H2	H3	H4																																																													
CONTROL TRANSFORMER																																																																
P/N C2G0500MBMH																																																																
500 VA																																																																
P/N	C2G0500MBMH																																																															
500 VA	50/60 Hz																																																															
130°C CLASS																																																																
LV TERMINAL LOCATION																																																																
120	100	OV																																																														
115	96																																																															
110	92																																																															
X3	X2	X1																																																														
		GND																																																														

NOTES:



TITLE: 1 PHASE GENERAL PURPOSE CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF	DATE: 25/06/30
NO.	DATE	BY	REVISION	SCALE:	NTS

SHEET 1 OF 1

EDBC2G0500MBMH