



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE CLIPS WILL ADD 0.15"[4mm] TO HEIGHT
- OPTIONAL FUSE CLIPS WITH FINGER GUARDS WILL ADD 0.28"[7mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">H1 220 230 240</td> <td style="width: 25%;">H3 440 460 480</td> <td style="width: 25%;">H2 440 460 480</td> <td style="width: 25%;">H4 440 460 480</td> </tr> </table> <p>HV TERMINAL LOCATION</p>	H1 220 230 240	H3 440 460 480	H2 440 460 480	H4 440 460 480	<p>252L E50394 180-7 TYPE 3AH</p>	<p>hammond POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER P/N C2G1500QM 1500 VA</p>	<p>252L E50394 180-7 TYPE 3AH</p>		<p>P/N C2G1500QM 1500 VA 50/60 Hz 180°C CLASS</p>						
H1 220 230 240	H3 440 460 480	H2 440 460 480	H4 440 460 480													
MADE IN MEXICO			<p>LR3902 TYPE 3AH</p>	<p>LV TERMINAL LOCATION</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">120</td> <td style="width: 50%;">0V</td> </tr> <tr> <td>115</td> <td></td> </tr> <tr> <td>110</td> <td></td> </tr> <tr> <td>X2</td> <td>X1</td> </tr> <tr> <td></td> <td>GND</td> </tr> </table>	120	0V	115		110		X2	X1		GND		
120	0V															
115																
110																
X2	X1															
	GND															

NOTES:



TITLE: 1 PHASE GENERAL PURPOSE CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2G1500QM