



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE CLIPS WILL ADD 0.15" [4mm] TO HEIGHT
- OPTIONAL FUSE CLIPS WITH FINGER GUARDS WILL ADD 0.28" [7mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3" [33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5" [38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1" [+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

	<p>H1 0V</p> <p>H2 800 800 800</p> <p>HV TERMINAL LOCATION</p> <p>hps</p> <p>MADE IN MEXICO</p> <p>hps 252L E50394 PDG12 TYPE 3AH</p> <p>SN</p>	<p>LISTED</p> <p>252L E50394 PDG12 TYPE 3AH</p> <p>CE</p>	<p>hammond</p> <p>POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER</p> <p>P/N C2G1500YJ</p> <p>1500 VA</p> <p>T2 T1 X4 X2 X3 X1 GND</p>	<p>LISTED</p> <p>252L E50394 PDG12 TYPE 3AH</p> <p>CE</p> <p>LR3902 TYPE 3AH</p>	<p>LV TERMINAL LOCATION</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>1</td><td>2</td><td>3</td><td>1</td> <td>1</td><td>2</td><td>3</td><td>1</td> </tr> <tr> <td>120</td><td></td><td></td><td>240</td> <td>120</td><td></td><td></td><td>240</td> </tr> <tr> <td>120</td><td></td><td></td><td>240</td> <td>120</td><td></td><td></td><td>240</td> </tr> <tr> <td>X4</td><td>X2</td><td>X3</td><td>X1</td> <td></td><td></td><td></td><td>GND</td> </tr> </table> <p>P/N C2G1500YJ 1500 VA 50/60 Hz 130°C CLASS</p>	1	2	3	1	1	2	3	1	120			240	120			240	120			240	120			240	X4	X2	X3	X1				GND
1	2	3	1	1	2	3	1																														
120			240	120			240																														
120			240	120			240																														
X4	X2	X3	X1				GND																														

NOTES:



TITLE: 1 PHASE GENERAL PURPOSE CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2G1500YJ