



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1" [3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3" [33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5" [38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1" [+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

H1 OV	H2 208 208	H3 277 277					H1 <input type="checkbox"/> H2 <input type="checkbox"/> H3 <input type="checkbox"/>			P/N C2M0250DJ 250 VA 50/60 Hz 130°C CLASS	LV TERMINAL LOCATION 1 2 3 1 4 3 3 1 120 240 120 240 120 240 X4 X2 X3 X1 GND
HV TERMINAL LOCATION			MADE IN MEXICO SN			CONTROL TRANSFORMER P/N C2M0250DJ 250 VA			LISTED 252L E50394 PDG12 TYPE PH	LISTED 252L E50394 PDG12 TYPE PH	
						T2 T1 X4 X2 X3 X1 GND					

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2M0250DJ