



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1"[3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>H1</td><td>H2</td><td>H3</td><td>H4</td></tr> <tr> <td>0V</td><td>240</td><td>480</td><td>600</td></tr> <tr> <td></td><td>230</td><td>460</td><td>575</td></tr> <tr> <td></td><td>220</td><td>440</td><td>550</td></tr> </table> <p>HV TERMINAL LOCATION</p> <p><b>hps</b></p> <p>MADE IN MEXICO SN</p>	H1	H2	H3	H4	0V	240	480	600		230	460	575		220	440	550		<p>LISTED 252L E50394 PDG12 TYPE PH</p>	<p>H1 H2 H3 H4</p> <p><b>hammond</b></p> <p>POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER P/N C2M0750MBMH 750 VA</p> <p>T2 T1 X3 X2 X1 GND</p>		<p>P/N C2M0750MBMH 750 VA 50/60 Hz 130°C CLASS</p> <p>LISTED 252L E50394 PDG12 TYPE PH</p> <p>LV TERMINAL LOCATION</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>120</td><td>100</td><td>0V</td></tr> <tr> <td>115</td><td>95</td><td></td></tr> <tr> <td>110</td><td>90</td><td></td></tr> <tr> <td>X3</td><td>X2</td><td>X1 GND</td></tr> </table>	120	100	0V	115	95		110	90		X3	X2	X1 GND
H1	H2	H3	H4																														
0V	240	480	600																														
	230	460	575																														
	220	440	550																														
120	100	0V																															
115	95																																
110	90																																
X3	X2	X1 GND																															

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDB C2M0750MBMH