



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1" [3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3" [33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5" [38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1" +/- 3mm
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="1"> <tr> <td>H1</td> <td>H2</td> <td>H3</td> <td>H4</td> </tr> <tr> <td>0V</td> <td>240</td> <td>480</td> <td>600</td> </tr> <tr> <td></td> <td>230</td> <td>460</td> <td>575</td> </tr> <tr> <td></td> <td>220</td> <td>440</td> <td>550</td> </tr> </table> <p>HV TERMINAL LOCATION</p> <p><b>hps</b></p> <p>MADE IN MEXICO SN</p>	H1	H2	H3	H4	0V	240	480	600		230	460	575		220	440	550		<p>LISTED 252L E50394 PDG12 TYPE PH</p> <p><b>hammond</b> POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER P/N C2M1000BMH 1000 VA</p> <p></p>	<p>P/N C2M1000BMH 1000 VA 50/60 Hz 130°C CLASS</p> <p>LISTED 252L E50394 PDG12 TYPE PH</p> <p>LV TERMINAL LOCATION</p> <table border="1"> <tr> <td>120</td> <td>100</td> <td>0V</td> </tr> <tr> <td>115</td> <td>95</td> <td></td> </tr> <tr> <td>110</td> <td>92.5</td> <td></td> </tr> <tr> <td>X3</td> <td>X2</td> <td>X1 GND</td> </tr> </table>	120	100	0V	115	95		110	92.5		X3	X2	X1 GND
H1	H2	H3	H4																												
0V	240	480	600																												
	230	460	575																												
	220	440	550																												
120	100	0V																													
115	95																														
110	92.5																														
X3	X2	X1 GND																													

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDB C2M1000BMH