



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1" [3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3" [33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5" [38mm] TO HEIGHT
- TOLERANCES STD. +/- [+-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>H1</td><td>H2</td><td>H3</td><td>H4</td></tr> <tr> <td>OV</td><td>217</td><td>240</td><td>480</td></tr> <tr> <td></td><td>208</td><td>230</td><td>460</td></tr> <tr> <td></td><td>199</td><td>220</td><td>440</td></tr> </table> <p>HV TERMINAL LOCATION MADE IN MEXICO SN</p>	H1	H2	H3	H4	OV	217	240	480		208	230	460		199	220	440			<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>H1</td><td>H2</td><td>H3</td><td>H4</td></tr> </table> <p>CONTROL TRANSFORMER P/N C2M0150MLI 150 VA</p>	H1	H2	H3	H4	<p>LISTED 252L E50394 PDG12 TYPE PH</p>	<p>LISTED 157 E50394 PDG12 TYPE PH</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>P/N</td><td>C2M0150MLI</td><td>LV TERMINAL LOCATION</td></tr> <tr> <td>150 VA</td><td></td><td>120</td><td>25</td><td>0V</td></tr> <tr> <td>50/60 Hz</td><td></td><td>115</td><td>24</td><td></td></tr> <tr> <td>130°C CLASS</td><td></td><td>110</td><td>23</td><td></td></tr> <tr> <td></td><td></td><td>X3</td><td>X2</td><td>X1</td></tr> <tr> <td></td><td></td><td></td><td></td><td>GND</td></tr> </table>	P/N	C2M0150MLI	LV TERMINAL LOCATION	150 VA		120	25	0V	50/60 Hz		115	24		130°C CLASS		110	23				X3	X2	X1					GND
H1	H2	H3	H4																																																			
OV	217	240	480																																																			
	208	230	460																																																			
	199	220	440																																																			
H1	H2	H3	H4																																																			
P/N	C2M0150MLI	LV TERMINAL LOCATION																																																				
150 VA		120	25	0V																																																		
50/60 Hz		115	24																																																			
130°C CLASS		110	23																																																			
		X3	X2	X1																																																		
				GND																																																		

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2M0150MLI