



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="0"> <tr><td>H1</td><td>H2</td><td>H3</td><td>H4</td></tr> <tr><td>OV</td><td>217</td><td>240</td><td>480</td></tr> <tr><td></td><td>208</td><td>230</td><td>460</td></tr> <tr><td></td><td>199</td><td>220</td><td>440</td></tr> </table> <p>HV TERMINAL LOCATION</p> <p><b>hps</b></p> <p>MADE IN MEXICO SN</p>	H1	H2	H3	H4	OV	217	240	480		208	230	460		199	220	440		<p>LISTED 252L E50394 180-7 TYPE PH</p>	<p><b>hammond</b> POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER P/N C2M0750MLI 750 VA</p>		<p>P/N C2M0750MLI 750 VA 50/60 Hz 180°C CLASS</p>	<table border="0"> <tr><td>LV TERMINAL LOCATION</td><td>OV</td></tr> <tr><td>120</td><td>25</td></tr> <tr><td>115</td><td>24</td></tr> <tr><td>110</td><td>24</td></tr> <tr><td>X3</td><td>X2</td></tr> <tr><td></td><td>X1</td></tr> <tr><td></td><td>GND</td></tr> </table>	LV TERMINAL LOCATION	OV	120	25	115	24	110	24	X3	X2		X1		GND
H1	H2	H3	H4																																	
OV	217	240	480																																	
	208	230	460																																	
	199	220	440																																	
LV TERMINAL LOCATION	OV																																			
120	25																																			
115	24																																			
110	24																																			
X3	X2																																			
	X1																																			
	GND																																			

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2M0750MLI