



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FINGER GUARDS WILL ADD 0.1"[3mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">H1</td> <td style="text-align: center;">H3</td> <td style="text-align: center;">H2</td> <td style="text-align: center;">H4</td> </tr> <tr> <td style="text-align: center;">220</td> <td style="text-align: center;">440</td> <td style="text-align: center;">460</td> <td style="text-align: center;">480</td> </tr> <tr> <td style="text-align: center;">230</td> <td style="text-align: center;">460</td> <td style="text-align: center;">480</td> <td style="text-align: center;">480</td> </tr> <tr> <td style="text-align: center;">240</td> <td style="text-align: center;">480</td> <td style="text-align: center;">480</td> <td style="text-align: center;">480</td> </tr> </table> <p>HV TERMINAL LOCATION</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> <td style="text-align: center;">1</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">4</td> </tr> </table> <p>hps</p> <p>MADE IN MEXICO SN</p>	H1	H3	H2	H4	220	440	460	480	230	460	480	480	240	480	480	480	1	2	3	4	1	2	3	4		<p>hammond POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER P/N C2M1000MQMJ 1000 VA</p> <p>LISTED 252L E50394 PDG12 TYPE PH</p>	<p>P/N C2M1000MQMJ 1000 VA 50/60 Hz 130°C CLASS</p> <p>LV TERMINAL LOCATION</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">5</td> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">3</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">120</td> <td style="text-align: center;">240</td> <td style="text-align: center;">230</td> <td style="text-align: center;">220</td> <td style="text-align: center;">115</td> <td style="text-align: center;">110</td> <td style="text-align: center;">110</td> <td style="text-align: center;">110</td> </tr> <tr> <td style="text-align: center;">X4</td> <td style="text-align: center;">X2</td> <td style="text-align: center;">X3</td> <td style="text-align: center;">X1</td> <td style="text-align: center;">GND</td> <td style="text-align: center;">GND</td> <td style="text-align: center;">GND</td> <td style="text-align: center;">GND</td> </tr> </table>	4	2	5	1	4	2	3	1	120	240	230	220	115	110	110	110	X4	X2	X3	X1	GND	GND	GND	GND
H1	H3	H2	H4																																																
220	440	460	480																																																
230	460	480	480																																																
240	480	480	480																																																
1	2	3	4	1	2	3	4																																												
4	2	5	1	4	2	3	1																																												
120	240	230	220	115	110	110	110																																												
X4	X2	X3	X1	GND	GND	GND	GND																																												

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2M1000MQMJ