



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE BLOCK FINGER GUARD WILL ADD 0.2"[5mm] TO HEIGHT
- OPTIONAL TERMINAL BLOCK FINGER GUARD WILL ADD 0.38"[10mm] TO DEPTH
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]
- ACCOUNT FOR REASONABLE SPACE FOR 240mm LONG FLEXIBLE WIRE AND CONNECTORS ON TERMINALS FROM TERMINAL BLOCKS TO FUSE BLOCKS

<table border="0"> <tr><td>H1</td><td>H3</td><td>H2</td><td>H4</td></tr> <tr><td>220</td><td>440</td><td>460</td><td>480</td></tr> <tr><td>230</td><td></td><td>480</td><td></td></tr> <tr><td>240</td><td></td><td></td><td></td></tr> </table>	H1	H3	H2	H4	220	440	460	480	230		480		240						<table border="0"> <tr><td>H1</td><td>H3</td><td>H2</td><td>H4</td></tr> </table>	H1	H3	H2	H4			<table border="0"> <tr><td>P/N</td><td>C2M0250QMJ-1</td></tr> <tr><td>250 VA</td><td></td></tr> <tr><td>50/60 Hz</td><td></td></tr> <tr><td>130°C CLASS</td><td></td></tr> </table>	P/N	C2M0250QMJ-1	250 VA		50/60 Hz		130°C CLASS		<table border="0"> <tr><td>LV TERMINAL LOCATION</td><td></td><td></td><td></td><td></td></tr> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>1</td></tr> <tr><td>120</td><td>240</td><td></td><td></td><td></td></tr> <tr><td>115</td><td>230</td><td></td><td></td><td></td></tr> <tr><td>110</td><td>220</td><td></td><td></td><td></td></tr> <tr><td>X4</td><td>X2</td><td>X3</td><td>X1</td><td>GND</td></tr> </table>	LV TERMINAL LOCATION					1	2	3	4	1	120	240				115	230				110	220				X4	X2	X3	X1	GND
H1	H3	H2	H4																																																														
220	440	460	480																																																														
230		480																																																															
240																																																																	
H1	H3	H2	H4																																																														
P/N	C2M0250QMJ-1																																																																
250 VA																																																																	
50/60 Hz																																																																	
130°C CLASS																																																																	
LV TERMINAL LOCATION																																																																	
1	2	3	4	1																																																													
120	240																																																																
115	230																																																																
110	220																																																																
X4	X2	X3	X1	GND																																																													
<table border="0"> <tr><td>1</td><td>3</td><td>2</td><td>4</td></tr> <tr><td>1</td><td>3</td><td>2</td><td>4</td></tr> </table>		1	3	2	4	1	3	2	4	hps		CONTROL TRANSFORMER P/NC2M0250QMJ-1 250 VA TYPE PH		LISTED 252L E50394 PDG12		LISTED 252L E50394 PDG12 TYPE PH																																																	
1	3	2	4																																																														
1	3	2	4																																																														
HV TERMINAL LOCATION MADE IN MEXICO SN																																																																	

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

NO.	DATE	BY	REVISION

DES: RHARISH
 DATE: 25/10/21
 SCALE: NTS

SHEET 1 OF 1
 EDB C2M0250QMJ-1