



- FINGER GUARDS FOR TERMINAL BLOCKS AND FUSING OPTIONAL
- OPTIONAL FUSE BLOCK WILL ADD 1.3"[33mm] TO HEIGHT
- OPTIONAL FUSE BLOCK WITH FINGER GUARD WILL ADD 1.5"[38mm] TO HEIGHT
- TOLERANCES STD. +/- 0.1"[+/-3mm]
- ALL DIMENSIONS ARE IN INCHES [mm]

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>H1</td> <td>H3</td> <td>H2</td> <td>H4</td> </tr> <tr> <td>110</td> <td>220</td> <td>230</td> <td>240</td> </tr> <tr> <td>115</td> <td>230</td> <td></td> <td></td> </tr> <tr> <td>120</td> <td>240</td> <td></td> <td></td> </tr> </table> <p>HV TERMINAL LOCATION</p> <p>hps</p> <p>MADE IN MEXICO SN</p>	H1	H3	H2	H4	110	220	230	240	115	230			120	240				<p>LISTED 252L E50394 180-7 TYPE PH</p> <p>hammond POWER SOLUTIONS</p> <p>CONTROL TRANSFORMER P/N C2M1000PR 1000 VA</p> <p>T2 T1 X2 X1 GND</p>	<p>P/N C2M1000PR 1000 VA 50/60 Hz 180°C CLASS</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>X2</td> <td>X1</td> <td>GND</td> </tr> <tr> <td>22</td> <td>24</td> <td>0V</td> </tr> </table> <p>LV TERMINAL LOCATION</p> <p>UL LISTED E50394 180-7 TYPE PH</p>	X2	X1	GND	22	24	0V
H1	H3	H2	H4																							
110	220	230	240																							
115	230																									
120	240																									
X2	X1	GND																								
22	24	0V																								

NOTES:



TITLE: 1 PHASE MOLDED CONTROL TFX

1	25/09/16	RH	UPDATED EDB	DES: MSARAF
NO.	DATE	BY	REVISION	SCALE: NTS

SHEET 1 OF 1

EDBC2M1000PR